



### ***Windows PowerShell Get-Help on Cmdlet 'Set-DynamicParameterVariables'***

***PS:\>Get-HELP Set-DynamicParameterVariables -Full***

#### NAME

Set-DynamicParameterVariables

#### SYNOPSIS

This command is used by Pester's Mocking framework. You do not need to call it directly.

#### SYNTAX

```
Set-DynamicParameterVariables [-SessionState] <SessionState> [[-Parameters] <Hashtable>] [[-Metadata] <CommandMetadata>] [<CommonParameters>]
```

#### DESCRIPTION

#### PARAMETERS

-SessionState <SessionState>

Required?            true

Position?            1

Default value

Accept pipeline input? false

Accept wildcard characters? false

#### -Parameters <Hashtable>

Required? false

Position? 2

Default value

Accept pipeline input? false

Accept wildcard characters? false

#### -Metadata <CommandMetadata>

Required? false

Position? 3

Default value

Accept pipeline input? false

Accept wildcard characters? false

#### <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

#### INPUTS

#### OUTPUTS

#### RELATED LINKS

