



Windows PowerShell Get-Help on Cmdlet 'Set-IscsiChapSecret'

PS:\>Get-HELP Set-IscsiChapSecret -Full

NAME

Set-IscsiChapSecret

SYNOPSIS

Sets a CHAP secret key for use with iSCSI initiator connections.

SYNTAX

```
Set-IscsiChapSecret [-AsJob] [-ChapSecret <String>] [-CimSession <CimSession[]>] [-ThrottleLimit <Int32>]
[<CommonParameters>]
```

DESCRIPTION

The Set-IscsiChapSecret cmdlet sets a CHAP secret key for use with iSCSI initiator connections.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

The cmdlet immediately returns an object that represents the job and then displays the command prompt. You can continue to work in the session while the job

completes. To manage the job, use the ``*-Job`` cmdlets. To get the job results, use the `Receive-Job` (<https://go.microsoft.com/fwlink/?LinkID=113372>)cmdlet.

For more information about Windows PowerShell background jobs, see `about_Jobs` (<https://go.microsoft.com/fwlink/?LinkID=113251>).

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

`-ChapSecret <String>`

Specifies the CHAP secret key for use with the iSCSI initiator connections.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

`-CimSession <CimSession[]>`

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession`

(<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

`[Get-CimSession]`(<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet. The default is the current session on the local computer.

Required?	false
Position?	named
Default value	None

Accept pipeline input? False

Accept wildcard characters? false

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit

applies only to the current cmdlet, not to the session or to the computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

System.String

OUTPUTS

None

NOTES

----- Example 1: Set CHAP secret key -----

```
PS C:\> Set-IscsiChapSecret -ChapSecret "12345678912345"
```

This command sets the CHAP secret key to a value.

RELATED LINKS

Online

Version:

https://learn.microsoft.com/powershell/module/iscsi/set-iscsichapsecret?view=windowsserver2022-ps&wt.mc_id=ps-gethelp

iSCSI on TechNet

Storage on TechNet <https://go.microsoft.com/fwlink/?linkid=191356>