



**Full credit is given to all the above companies including the Operating System that this PDF file was generated!**

## **Windows PowerShell Get-Help on Cmdlet 'Set-NetAdapterEncapsulatedPacketTaskOffload'**

**PS:\>Get-HELP Set-NetAdapterEncapsulatedPacketTaskOffload -Full**

### **NAME**

Set-NetAdapterEncapsulatedPacketTaskOffload

### **SYNOPSIS**

Sets the encapsulated packet task offload property of the network adapter.

### **SYNTAX**

```
Set-NetAdapterEncapsulatedPacketTaskOffload [-Name] <String[]> [-AsJob] [-CimSession <CimSession[]>] [-Confirm]
[-IncludeHidden] [-NoRestart]

    [-NvgreEncapsulatedPacketTaskOffloadEnabled <Boolean>] [-PassThru] [-ThrottleLimit <Int32>]
    [-VxlanEncapsulatedPacketTaskOffloadEnabled <Boolean>]

    [-VxlanUDPPortNumber <UInt16>] [-WhatIf] [<CommonParameters>]

Set-NetAdapterEncapsulatedPacketTaskOffload [-AsJob] [-CimSession <CimSession[]>] [-Confirm] [-IncludeHidden]
-InterfaceDescription <String[]> [-NoRestart]

    [-NvgreEncapsulatedPacketTaskOffloadEnabled <Boolean>] [-PassThru] [-ThrottleLimit <Int32>]
    [-VxlanEncapsulatedPacketTaskOffloadEnabled <Boolean>]

    [-VxlanUDPPortNumber <UInt16>] [-WhatIf] [<CommonParameters>]
```

```
Set-NetAdapterEncapsulatedPacketTaskOffload [-AsJob] [-CimSession <CimSession[]>] [-Confirm] -InputObject  
<CimInstance[]> [-NoRestart]  
      [-NvgreEncapsulatedPacketTaskOffloadEnabled <Boolean>] [-PassThru] [-ThrottleLimit <Int32>]  
      [-VxlanEncapsulatedPacketTaskOffloadEnabled <Boolean>]  
      [-VxlanUDPPortNumber <UInt16>] [-WhatIf] [<CommonParameters>]
```

## DESCRIPTION

The Set-NetAdapterEncapsulatedPacketTaskOffload cmdlet sets the encapsulated packet task offload property of the network adapter. Encapsulated task offload allows the

network adapter to perform offload operations such as large send offload (LSO) and virtual machine queue (VMQ) on the inner header for encapsulated packets. The

Enable-NetAdapterEncapsulatedPacketTaskoffload and Disable-NetAdapterEncapsulatedPacketTaskOffload cmdlets can also be used to manage encapsulated packet task offload.

## PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete. The cmdlet immediately returns an object that

represents the job and then displays the command prompt. You can continue to work in the session while the job completes. To manage the job, use the `\*-Job`

cmdlets. To get the job results, use the Receive-Job (<https://go.microsoft.com/fwlink/?LinkID=113372>) cmdlet. For more information about Windows PowerShell

background jobs, see about\_Jobs (<https://go.microsoft.com/fwlink/?LinkID=113251>).

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession

(<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

[Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>) cmdlet. The default is the current session on the local computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

#### -Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

#### -IncludeHidden [<SwitchParameter>]

Indicates that the cmdlet includes both visible and hidden network adapters in the operation. By default only visible network adapters are included. If a wildcard

character is used in identifying a network adapter and this parameter has been specified, then the wildcard string is matched against both hidden and visible

network adapters.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

#### **-InputObject <CimInstance[]>**

Specifies the input to this cmdlet. You can use this parameter, or you can pipe the input to this cmdlet.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

#### **-InterfaceDescription <String[]>**

Specifies an array of network adapter interface descriptions. For a physical network adapter this is typically the name of the vendor of the network adapter

followed by a part number and description, such as `Contoso 12345 Gigabit Network Device`.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

#### **-Name <String[]>**

Specifies an array of network adapter names.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

#### **-NoRestart [<SwitchParameter>]**

Indicates that the cmdlet does not restart the network adapter after completing the operation. Many advanced properties require restarting the network adapter

before the new settings take effect.

Required? false  
Position? named  
Default value False  
Accept pipeline input? False  
Accept wildcard characters? false

#### -NvgreEncapsulatedPacketTaskOffloadEnabled <Boolean>

Specifies the enabled state of the Network Virtualization Generic Routing Encapsulation (NVGRE) encapsulated packet task offload in the network adapter. The acceptable values for this parameter are: \$true or \$false.

Required? false  
Position? named  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

#### -PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

Required? false  
Position? named  
Default value False  
Accept pipeline input? False  
Accept wildcard characters? false

#### -ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are

running on the computer. The throttle limit

applies only to the current cmdlet, not to the session or to the computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

#### -VxlanEncapsulatedPacketTaskOffloadEnabled <Boolean>

Specifies the enabled state of the Virtual eXtensible Local Area Network (VXLAN) encapsulated packet task offload in the network adapter. The acceptable values

for this parameter are: \$true or \$false.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

#### -VxlanUDPPortNumber <UInt16>

Specifies the port number to use for the VXLAN UDP destination port.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

#### -WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

#### <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

## INPUTS

Microsoft.Management.Infrastructure.CimInstance#ROOT/StandardCimv2/MSFT\_NetAdapter  
EncapsulatedPacketTaskOffloadSettingData[]  
  
The `Microsoft.Management.Infrastructure.CimInstance` object is a wrapper class that displays Windows Management Instrumentation (WMI) objects. The path after the pound sign (`#`) provides the namespace and class name for the underlying WMI object.

## OUTPUTS

Microsoft.Management.Infrastructure.CimInstance#ROOT/StandardCimv2/MSFT\_NetAdapter  
EncapsulatedPacketTaskOffloadSettingData  
  
The `Microsoft.Management.Infrastructure.CimInstance` object is a wrapper class that displays Windows Management Instrumentation (WMI) objects. The path after the pound sign (`#`) provides the namespace and class name for the underlying WMI object.

## NOTES

```
PS      C:\> Set-NetAdapterEncapsulatedPacketTaskOffload -Name "MyAdapter"  
-VxlanEncapsulatedPacketTaskOffloadEnabled $True
```

This command enables VXLAN encapsulated packet task offload on the network adapter named MyAdapter and restarts the network adapter. The

Enable-NetAdapterEncapsulatedPacketTaskOffload cmdlet is the preferred cmdlet to perform this operation.

Example 2: Disable encapsulated packet task offload on the specified network adapter

```
PS      C:\> Set-NetAdapterEncapsulatedPacketTaskOffload -Name "MyAdapter"  
-VxlanEncapsulatedPacketTaskOffloadEnabled $False
```

This command disables VXLAN encapsulated packet task offload on the network adapter named MyAdapter and restarts the network adapter. The

Disable-NetAdapterEncapsulatedPacketTaskOffload cmdlet is the preferred cmdlet to perform this operation.

## RELATED LINKS

	Online	Version:
<a href="https://learn.microsoft.com/powershell/module/netadapter/set-netadapterencapsulatedpackettaskoffload?view=windowsserver2022-ps&amp;wt.mc_id=ps-gethelp">https://learn.microsoft.com/powershell/module/netadapter/set-netadapterencapsulatedpackettaskoffload?view=windowsserver2022-ps&amp;wt.mc_id=ps-gethelp</a>		
Disable-NetAdapterEncapsulatedPacketTaskOffload		
Enable-NetAdapterEncapsulatedPacketTaskOffload		
Get-NetAdapterEncapsulatedPacketTaskOffload		