



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Set-OdbcDsn'

PS:\>Get-HELP Set-OdbcDsn -Full

NAME

Set-OdbcDsn

SYNOPSIS

Configures properties for existing ODBC DSNs.

SYNTAX

```
Set-OdbcDsn [-Name] <String> [-AsJob] [-CimSession <CimSession[]>] [-Confirm] [-DriverName <String>] -DsnType  
{User | System | All} [-PassThru] [-Platform {32-bit |  
64-bit | All}] [-RemovePropertyValue <String[]>] [-SetPropertyValue <String[]>] [-ThrottleLimit <Int32>] [-WhatIf]  
[<CommonParameters>]
```

```
Set-OdbcDsn [-InputObject] <CimInstance[]> [-AsJob] [-CimSession <CimSession[]>] [-Confirm] [-PassThru]  
[-RemovePropertyValue <String[]>] [-SetPropertyValue  
<String[]>] [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Set-OdbcDsn cmdlet configures the properties for existing Open Database Connectivity (ODBC) data source names.

(DSNs). Specify properties to add or modify by using

the SetPropertyValue parameter. Specify properties to remove by using the RemovePropertyValue parameter.

Use the Add-OdbcDsn cmdlet to add a new DSN.

For more information about ODBC, data source names, and drivers, see Microsoft Open Database Connectivity (ODBC)

(<https://msdn.microsoft.com/en-us/library/ms710252.aspx>),

[Data

Sources](<https://msdn.microsoft.com/en-us/library/ms711688.aspx>), and

[Drivers](<https://msdn.microsoft.com/en-us/library/ms715383.aspx>)on the Microsoft Developer Network.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession

(<https://go.microsoft.com/fwlink/?LinkId=227967>)

or

[Get-CimSession](<https://go.microsoft.com/fwlink/?LinkId=227966>)cmdlet. The default is the current session

on the local computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DriverName <String>

Specifies the name of a driver. This cmdlet modifies the ODBC DSN that uses the driver that this parameter specifies.

You can use wildcard characters. If you do

not specify this parameter, this cmdlet modifies DSNs for all drivers.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DsnType <String>

Specifies the type of an ODBC DSN. This cmdlet modifies a DSN of the type that this parameter specifies. The acceptable values for this parameter are:

- User

- System

- All

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <String>

Specifies the name of an ODBC DSN. This cmdlet modifies the DSN that this parameter specifies. You can use wildcard characters to specify more than one ODBC DSN.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-Platform <String>

Specifies the platform architecture. This cmdlet modifies the ODBC DSN that belongs to the architecture that this parameter specifies. The acceptable values for this parameter are:

- 32-bit

- 64-bit

- All

The default value is 32-bit on a 32-bit process. The default value is 64-bit on a 64-bit process. If you run this cmdlet in a remote CIM session, this parameter

refers to the platform architecture on the remote computer.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-RemovePropertyValue <String[]>

Specifies an array of property values to remove. This cmdlet removes the property values that this parameter specifies from the ODBC DSN. Specify an array of keys to remove.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-SetPropertyValue <String[]>

Specifies an array of property values. This cmdlet modifies the properties that this parameter specifies for the ODBC DSN. Specify array of strings of the form

<key>=<value>.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit

applies only to the current cmdlet, not to the session or to the computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

INPUTS

OUTPUTS

Microsoft.Management.Infrastructure.CimInstance#MSFT_OdbcDsn[]

NOTES

Example 1: Change a 64-bit ODBC DSN to use a specified database

```
PS C:\> Set-OdbcDsn -Name "MyPayroll" -DsnType "System" -Platform "64-bit" -SetPropertyValue "Database=Payroll"
```

This command changes the 64-bit ODBC System DSN named MyPayroll to use a database named Payroll. This example is designed for SQL Server drivers.

Example 2: Change a native platform ODBC DSN to use a specified database

```
PS C:\> Set-OdbcDsn -Name "MyPayroll" -DsnType "System" -SetPropertyValue "Database=Payroll"
```

This command changes the native platform ODBC System DSN named MyPayroll to use a database named Payroll. This example resembles the previous example, but it does not specify the Platform parameter. Therefore, configures a DSN on the native platform.

Example 3: Change a User DSN to use Windows Authentication and a specified database

Page 7/9

```
PS C:\> Set-OdbcDsn -Name "MyPayroll" -DsnType "User" -Platform "32-bit" -RemovePropertyValue @("UID", "PWD")  
-SetPropertyValue @("Trusted_Connection=Yes",  
"Database=Payroll")
```

This command changes the specified 32-bit ODBC User DSN named MyPayroll from using SQL Server Authentication to using Windows Authentication. This example is designed for SQL Server drivers. Also, the command specifies a value of Payroll for the Database key.

Example 4: Change specified DSNs to use a specified database file

```
PS C:\> Set-OdbcDsn -Name "*Payroll*" -DsnType "All" -Platform "All" -DriverName "Microsoft Access Driver (*.mdb,  
.accdb)" -SetPropertyValue 'Dbq=C:\payroll.accdb'
```

This command changes all ODBC User DSNs and System DSNs on both platforms with names that contain Payroll and that use a driver named Microsoft Access Driver (.mdb, .accdb) to use the database file C:\payroll.accdb.

Example 5: Migrate all DSNs that use a driver with name that starts with a string

```
PS C:\> Get-OdbcDsn -DriverName "SQL Server*" -DsnType "All" -Platform "All" | Where-Object{ ($_.Attribute["Server"]  
-eq "oldServer") } | Set-OdbcDsn  
-SetPropertyValue "Server=newServer"
```

This command migrates the oldServer to newServer for all User DSNs and System DSNs that use a driver that has a name that starts with SQL Server.

Example 6: Change a 64-bit ODBC System DSN to use a specified database

```
PS C:\> $sysDsn = Set-OdbcDsn -Name "MyPayroll" -DsnType "System" -Platform "All" -SetPropertyValue  
"Database=Payroll" -PassThru
```

This command changes the 64-bit ODBC System DSN named MyPayroll to use a database named Payroll, and then stores the result in the \$sysDsn variable. The command includes the PassThru parameter. Without PassThru , the cmdlet does not return anything.

Example 7: Migrates DSNs that use a driver with name that starts with a string by using a variable

```
PS C:\> $DsnArray = Get-OdbcDsn -DriverName "SQL Server*" | Where-Object{ ($_.Attribute["Server"] -eq "oldServer") }  
PS C:\> Set-OdbcDsn -InputObject $DsnArray -SetPropertyValue "Server=newServer"
```

The first command uses the `Get-OdbcDsn` cmdlet to get each driver that has a name that starts with SQL Server and has a value of oldServer for the Server attribute.

The command stores the results in the `$DsnArray` variable.

The second command sets the value for Server to a new value.

RELATED LINKS

Online

Version:

https://learn.microsoft.com/powershell/module/wdac/set-odbcdsn?view=windowsserver2022-ps&wt.mc_id=ps-gethelp

[Add-OdbcDsn](#)

[Get-OdbcDsn](#)

[Remove-OdbcDsn](#)