



Windows PowerShell Get-Help on Cmdlet 'Set-SFTPLocation'

PS:\>Get-HELP Set-SFTPLocation -Full

NAME

Set-SFTPLocation

SYNOPSIS

Change current location of the SFTP session.

SYNTAX

Set-SFTPLocation [-SessionId] <Int32[]> [-Path] <String> [<CommonParameters>]

Set-SFTPLocation [-SFTPSession] <SftpSession[]> [-Path] <String> [<CommonParameters>]

DESCRIPTION

Change current location of the SFTP session.

PARAMETERS

-SessionId <Int32[]>

SFTP Session Id of an exiting session.

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Path <String>

Remote path to change current location of the SFTP session.

Required? true
Position? 1
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-SFTPSession <SftpSession[]>

SFTP Session Object of an exiting session.

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.Int32[]

SSH.SftpSession[]

OUTPUTS

NOTES

----- Example 1 -----

```
PS C:\> Set-SFTPLocation -SessionId 0 -Path /usr/local
```

```
PS C:\> Get-SFTPLocation -SessionId 0
```

```
/usr/local
```

Set the SFTP session current location to /usr/local

RELATED LINKS

Online Version: <https://github.com/darkoperator/Posh-SSH/tree/master/docs>