



Windows PowerShell Get-Help on Cmdlet 'Set-StorageFileServer'

PS:\>Get-HELP Set-StorageFileServer -Full

NAME

Set-StorageFileServer

SYNOPSIS

Modifies a storage file server.

SYNTAX

```
Set-StorageFileServer [-AsJob] [-CimSession <CimSession[]>] [-Confirm] [-FriendlyName <String[]>] -NewFriendlyName  
<String> [-PassThru] [-ThrottleLimit <Int32>]  
[-WhatIf] [<CommonParameters>]
```

```
Set-StorageFileServer [-AsJob] [-CimSession <CimSession[]>] [-Confirm] -InputObject <CimInstance[]>  
-NewFriendlyName <String> [-PassThru] [-ThrottleLimit <Int32>]  
[-WhatIf] [<CommonParameters>]
```

```
Set-StorageFileServer [-AsJob] [-CimSession <CimSession[]>] [-Confirm] -NewFriendlyName <String> [-PassThru]  
[-ThrottleLimit <Int32>] -Uniqueid <String[]> [-WhatIf]  
[<CommonParameters>]
```

DESCRIPTION

The Set-StorageFileServer cmdlet modifies a storage file server.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession

(<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

[Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet. The default is the current session on the local computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False
Accept pipeline input? False
Accept wildcard characters? false

-FriendlyName <String[]>

Specifies the friendly name for a file server. The FriendlyName can be used in place of HostName. Not all implementations support FriendlyName .

Required? false
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-NewFriendlyName <String>

Specifies the new friendly name for the file server.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit

applies only to the current cmdlet, not to the session or to the computer.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-Uniqueld <String[]>

Specifies the unique ID of the file server.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	True (ByPropertyName)
Accept wildcard characters?	false

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

NOTES

* When used in Failover Cluster, cmdlets from the Storage module operate on cluster level (all servers in the cluster).

----- Example 1: Set the friendly name of a file server -----

```
PS C:\>Set-StorageFileServer -HostName "Costoso-Sales" -FriendlyName "Data files for the Sales operation"
```

This command sets the friendly name of a file server to Data files for the Sales operation.

RELATED LINKS

Online

Version:

https://learn.microsoft.com/powershell/module/storage/set-storagefileserver?view=windowsserver2022-ps&wt.mc_id=ps-get-help

New-StorageFileServer

Remove-StorageFileServer