



python



PowerShell

FPDF Library

PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Set-UevTemplateProfile'

PS C:\Users\wahid> Get-Help Set-UevTemplateProfile

NAME

Set-UevTemplateProfile

SYNOPSIS

Modifies which profile to associate with an individual template.

SYNTAX

Set-UevTemplateProfile [-Confirm] -ID <String> -Profile {Roaming | Backup |
Vdi} [-WhatIf] [<CommonParameters>]

DESCRIPTION

The Set-UevTemplateProfile cmdlet modifies which profile to associate with an individual template. You can associate a template with the roaming profile or with the backup profile. If you have not specified the profile for a template, the template associates to the roaming profile.

PARAMETERS

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-ID <String>

Specifies the ID of a settings location template. If you specify an ID for a template that is not registered, this cmdlet returns an error.

-Profile <String>

Specifies the name of a profile. The cmdlet associates the template with the specified profile. Valid values are:

- Roaming

- Backup

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

--- Example 1: Associate a template with the Backup profile ---

```
PS C:\>Set-UevTemplateProfile -ID "MicrosoftCalculator6" -Profile "Backup"
```

This command associates a template with the backup profile. Settings for the application back-up, instead of synchronizing between computers.

--- Example 2: Associate a template with the Roaming profile ---

```
PS C:\>Set-UevTemplateProfile -ID "MicrosoftCalculator6" -Profile "Roaming"
```

This command associates a template with the roaming profile. Settings for the application synchronize between computers.

REMARKS

To see the examples, type: "get-help Set-UevTemplateProfile -examples".

For more information, type: "get-help Set-UevTemplateProfile -detailed".

For technical information, type: "get-help Set-UevTemplateProfile -full".

For online help, type: "get-help Set-UevTemplateProfile -online"