



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Set-WinCultureFromLanguageListOptOut'

PS:\>Get-HELP Set-WinCultureFromLanguageListOptOut -Full

NAME

Set-WinCultureFromLanguageListOptOut

SYNOPSIS

Sets the Culture from language list opt out setting for the current user account.

SYNTAX

Set-WinCultureFromLanguageListOptOut [-OptOut] <Boolean> [<CommonParameters>]

DESCRIPTION

The Set-WinCultureFromLanguageListOptOut cmdlet sets the Culture, or User Locale, opt-out setting for the current user account. Setting this option to \$True disables the action of dynamically setting the Culture for the current user based on changes to the Windows display language. Setting this option to \$False activates the dynamic setting behavior. The default setting is \$False.

PARAMETERS

-OptOut <Boolean>

Specifies the opt-out value.

Required? true

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

INPUTS

OUTPUTS

NOTES

----- Example 1: Block dynamic setting -----

```
PS C:\> Set-WinCultureFromLanguageListOptOut -OptOut $True
```

This command blocks the dynamic setting behavior.

RELATED LINKS

Online

Version:

ps&wt.mc_id=ps-gethelp

Get-WinCultureFromLanguageListOptOut