



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Set-WinDefaultInputMethodOverride'

PS:\>Get-HELP Set-WinDefaultInputMethodOverride -Full

NAME

Set-WinDefaultInputMethodOverride

SYNOPSIS

Sets the default input method override for the current user account.

SYNTAX

Set-WinDefaultInputMethodOverride [[-InputTip] <String>] [<CommonParameters>]

DESCRIPTION

The Set-WinDefaultInputMethodOverride cmdlet sets the default input method override setting, which specifies a default input method for the current user account. If

no override setting is used, the input method is dynamically determined from the language list of the current user account.

For more information, see the

Get-WinUserLanguageList and Set-WinUserLanguageList cmdlets.

PARAMETERS

-InputTip <String>

Specifies an input tip.

Required? false

Position? 0

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

INPUTS

InputTIP

You can pipe a locale ID and a keyboard language ID (KLID). See Default Input Profiles (Input Locales) in Windows (/windows-hardware/manufacture/desktop/default-input-locales-for-windows-language-packs)

OUTPUTS

NOTES

----- Example 1: Set the default input method override -----

```
PS C:\> Set-WinDefaultInputMethodOverride -InputTip "0409:00000409"
```

This command sets the default input method override to English (United States) - US.

Page 2/3

RELATED LINKS

Online

Version:

https://learn.microsoft.com/powershell/module/international/set-windefaultinputmethodoverride?view=windowsserver2022-ps&wt.mc_id=ps-gethelp

Get-WinDefaultInputMethodOverride