



Windows PowerShell Get-Help on Cmdlet 'Start-AppvVirtualProcess'

PS:\>Get-HELP Start-AppvVirtualProcess -Full

NAME

Start-AppvVirtualProcess

SYNOPSIS

SYNTAX

```
Start-AppvVirtualProcess [-FilePath] <String> [[-ArgumentList] <String[]>] [-Credential <PSCredential>]
[-WorkingDirectory <String>] [-LoadUserProfile] [-NoNewWindow]
[-PassThru] [-RedirectStandardError <String>] [-RedirectStandardInput <String>] [-RedirectStandardOutput <String>]
[-Wait] [-UseNewEnvironment] -AppvClientObject
<Object> [<CommonParameters>]
```

```
Start-AppvVirtualProcess [-FilePath] <String> [[-ArgumentList] <String[]>] [-WorkingDirectory <String>] [-PassThru] [-Verb
<String>] [-Wait] [-WindowStyle {Normal |
Hidden | Minimized | Maximized}] -AppvClientObject <Object> [<CommonParameters>]
```

DESCRIPTION

PARAMETERS

-FilePath <String>

Required? true

Position? 1

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ArgumentList <String[]>

Required? false

Position? 2

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Credential <PSCredential>

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-WorkingDirectory <String>

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-LoadUserProfile [<SwitchParameter>]

Required?	false
Position?	named
Default value	False
Accept pipeline input?	false
Accept wildcard characters?	false

-NoNewWindow [<SwitchParameter>]

Required?	false
Position?	named
Default value	False
Accept pipeline input?	false
Accept wildcard characters?	false

-PassThru [<SwitchParameter>]

Required?	false
Position?	named
Default value	False
Accept pipeline input?	false
Accept wildcard characters?	false

-RedirectStandardError <String>

Required?	false
Position?	named
Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

-RedirectStandardInput <String>

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-RedirectStandardOutput <String>

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Verb <String>

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Wait [<SwitchParameter>]

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-WindowStyle

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-UseNewEnvironment [<SwitchParameter>]

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-AppvClientObject <Object>

Required? true
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

RELATED LINKS