



Windows PowerShell Get-Help on Cmdlet 'Start-AzLogicApp'

PS:\>Get-HELP Start-AzLogicApp -Full

NAME

Start-AzLogicApp

SYNOPSIS

Runs a logic app in a resource group.

SYNTAX

```
Start-AzLogicApp [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name <System.String>  
[-Parameters  
    <System.Object>] -ResourceGroupName <System.String> -TriggerName <System.String> [-Confirm] [-WhatIf]  
[<CommonParameters>]
```

DESCRIPTION

The Start-AzLogicApp cmdlet runs a logic app by using the Logic Apps feature. Specify a name, resource group, and trigger. This module supports dynamic parameters. To

use a dynamic parameter, type it in the command. To discover the names of dynamic parameters, type a hyphen (-) after the cmdlet name, and then press the Tab key

repeatedly to cycle through the available parameters. If you omit a required template parameter, the cmdlet prompts you for the value.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

Specifies the name of the logic app that this cmdlet starts.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Parameters <System.Object>

Specifies a parameters collection object of the logic app. Specify a hash table, Dictionary<string>, or Dictionary<string, WorkflowParameter>.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Specifies the name of the resource group that contains the logic app that this cmdlet starts.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-TriggerName <System.String>

Specifies the name of the trigger of the logic app that this cmdlet starts.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

System.String

OUTPUTS

System.Void

NOTES

----- Example 1: Run a logic app -----

```
Start-AzLogicApp -ResourceGroupName "ResourceGroup11" -Name "LogicApp03" -TriggerName "Trigger22"
```

This command runs the logic app in the resource group named ResourceGroup11.

Online Version: <https://learn.microsoft.com/powershell/module/az.logicapp/start-azlogicapp>

Get-AzLogicApp

Get-AzLogicAppRunHistory

New-AzLogicApp

Remove-AzLogicApp

Set-AzLogicApp

Stop-AzLogicAppRun