



Windows PowerShell Get-Help on Cmdlet 'Start-AzRecoveryServicesAsrResynchronizeReplicationJob'

PS:\>Get-HELP Start-AzRecoveryServicesAsrResynchronizeReplicationJob -Full

NAME

Start-AzRecoveryServicesAsrResynchronizeReplicationJob

SYNOPSIS

Starts replication resynchronization.

SYNTAX

```

Start-AzRecoveryServicesAsrResynchronizeReplicationJob [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
-ReplicationProtectedItem <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRReplicationProtectedItem>
[-Confirm] [-WhatIf] [<CommonParameters>]
```

```

Start-AzRecoveryServicesAsrResynchronizeReplicationJob [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
-ResourceId <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Start-AzRecoveryServicesAsrResynchronizeReplicationJob cmdlet start resynchronization of replication for the

specified protected item if the protected is in a
resynchronization required state.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ReplicationProtectedItem <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRReplicationProtectedItem>

ASR replication protected item to resynchronize replication for.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-ResourceId <System.String>

Resource Id of replication protected item to resynchronize.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRReplicationProtectedItem

OUTPUTS

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRJob

NOTES

----- Example 1 -----

```
Start-AzRecoveryServicesAsrResynchronizeReplicationJob -ReplicationProtectedItem $rpi
```

Starts job to resynchronize replication on passed replication protected item.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.recoveryservices/start-azrecoveryservicesasrresynchronizereplicationjob>