



Windows PowerShell Get-Help on Cmdlet 'Start-AzSqlElasticJob'

PS: \>Get-HELP Start-AzSqlElasticJob -Full

NAME

Start-AzSqlElasticJob

SYNOPSIS

Starts a job, returning a job execution id that can be polled to view it's status

SYNTAX

```
Start-AzSqlElasticJob [-ResourceGroupName] <System.String> [-ServerName] <System.String> [-AgentName]
<System.String> [-JobName] <System.String> [-AsJob]
```

```
[-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-Wait] [-Confirm] [-WhatIf] [<CommonParameters>]
```

```
Start-AzSqlElasticJob [-ParentObject] <Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobModel>
[-AsJob] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Wait] [-Confirm]
[-WhatIf] [<CommonParameters>]
```

```
Start-AzSqlElasticJob [-ParentResourceId] <System.String> [-AsJob] [-DefaultProfile
```

```
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Wait] [-Confirm]
```

[-WhatIf] [<CommonParameters>]

DESCRIPTION

The Start-AzSqlElasticJob cmdlet starts a job returning a new job execution

PARAMETERS

-AgentName <System.String>

The agent name

Required? true

Position? 2

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-JobName <System.String>

The job name

Required? true

Position? 3

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ParentObject <Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobModel>

The job object

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-ParentResourceId <System.String>

The job resource id

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name

Required? true

Position? 0
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ServerName <System.String>

The server name

Required? true
Position? 1
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Wait <System.Management.Automation.SwitchParameter>

The wait flag to indicate to wait until the job's execution is done

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobModel

OUTPUTS

Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobExecutionModel

NOTES

---- Example 1 - Starts a job returning a new job execution ----

```
$job = Get-AzSqlElasticJob -ResourceGroupName rg -ServerName elasticjobserver -AgentName agent -Name job1
```

```
$job | Start-AzSqlElasticJob
```

JobName	JobExecutionId	Lifecycle	StartTime	EndTime
---------	----------------	-----------	-----------	---------

-----	-----	-----	-----	-----
-------	-------	-------	-------	-------

job1	b93b3a90-987b-4565-b3d3-5fa1751fa9bc	Created		
------	--------------------------------------	---------	--	--

Starts a job returning a new job execution

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/Az.sql/start-Azsqlelasticjob>