



Windows PowerShell Get-Help on Cmdlet 'Start-SSHPortForward'

PS:\>Get-HELP Start-SSHPortForward -Full

NAME

Start-SSHPortForward

SYNOPSIS

SYNTAX

Start-SSHPortForward [-SessionId] <Int32> [-BoundPort] <Int32> [-BoundHost] <String> [<CommonParameters>]

Start-SSHPortForward [-SSHSession] <SshSession> [-BoundPort] <Int32> [-BoundHost] <String>
[<CommonParameters>]

DESCRIPTION

PARAMETERS

-SSHSession <SshSession>

Required?	true
-----------	------

Position? 1
Default value
Accept pipeline input? true (ByValue)
Accept wildcard characters? false

-SessionId <Int32>

Required? true
Position? 1
Default value 0
Accept pipeline input? true (ByValue)
Accept wildcard characters? false

-BoundPort <Int32>

Required? true
Position? 3
Default value 0
Accept pipeline input? false
Accept wildcard characters? false

-BoundHost <String>

Required? true
Position? 2
Default value
Accept pipeline input? false
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see

about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

RELATED LINKS