

Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Stop-AzAksDashboard'

PS:\>Get-HELP	Stop	-AzAksl	Dashboar	d -Full
---------------	------	---------	----------	---------

NAME

Stop-AzAksDashboard

SYNOPSIS

Stop the Kubectl SSH tunnel created in Start-AzKubernetesDashboard.

SYNTAX

Stop-AzAksDashboard

[-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

[-PassThru]

[-SubscriptionId

<System.String>] [<CommonParameters>]

DESCRIPTION

Stop the Kubectl SSH tunnel created in Start-AzKubernetesDashboard.

PARAMETERS

-DefaultProfile < Microsoft. Azure. Commands. Common. Authentication. Abstractions. Core. I Azure Context Contain Page 1/3

The credentials, account, tenant, and subscription used for communication with Azure.

Required?

false

Position?

named

Default value

None

Accept pipeline input?

False

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Returns true if SSH tunnel is closed.

Required?

false

Position?

named

Default value

False

Accept pipeline input?

False

Accept wildcard characters? false

-SubscriptionId <System.String>

The ID of the subscription. By default, cmdlets are executed in the subscription that is set in the current context. If the user specifies another subscription,

the current cmdlet is executed in the subscription specified by the user. Overriding subscriptions only take effect during the lifecycle of the current cmdlet. It

does not change the subscription in the context, and does not affect subsequent cmdlets.

Required?

false

Position?

named

Default value

None

Accept pipeline input?

True (ByPropertyName)

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

about_CommonParameters (https:/go.microsoft.com/fwlink/?LinkID=113216).
INPUTS
None
OUTPUTS
System.Boolean
NOTES
Example 1
Stop-AzAksDashboard
Stops the existing SSH tunnel setup by executing Start-AzKubernetesDashboard.
ctope the existing cert tarmer estap by exceeding ctart / Li tabelinetes basing card.
RELATED LINKS
Online Version: https://learn.microsoft.com/powershell/module/az.aks/stop-azaksdashboard

OutBuffer, PipelineVariable, and OutVariable. For more information, see