



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Stop-AzBatchJobSchedule'

PS:\>Get-HELP Stop-AzBatchJobSchedule -Full

NAME

Stop-AzBatchJobSchedule

SYNOPSIS

Stops a Batch job schedule.

SYNTAX

Stop-AzBatchJobSchedule [-Id] <System.String> -BatchContext

<Microsoft.Azure.Commands.Batch.BatchAccountContext> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

[<CommonParameters>]

DESCRIPTION

The Stop-AzBatchJobSchedule cmdlet stops an Azure Batch job schedule.

PARAMETERS

-BatchContext <Microsoft.Azure.Commands.Batch.BatchAccountContext>

Specifies the BatchAccountContext instance that this cmdlet uses to interact with the Batch service. If you use the Get-AzBatchAccount cmdlet to get your

BatchAccountContext, then Microsoft Entra authentication will be used when interacting with the Batch service. To use shared key authentication instead, use the

Get-AzBatchAccountKey cmdlet to get a BatchAccountContext object with its access keys populated. When using shared key authentication, the primary access key is

used by default. To change the key to use, set the BatchAccountContext.KeyInUse property.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Id <System.String>

Specifies the ID of the job schedule that this cmdlet stops.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName, ByValue)

Accept wildcard characters? false

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.Batch.BatchAccountContext

OUTPUTS

System.Void

NOTES

----- Example 1: Stop a job schedule -----

```
Stop-AzBatchJobSchedule -Id "JobSchedule17" -BatchContext $Context
```

This command stops the job schedule that has the ID JobSchedule17. Use the Get-AzBatchAccountKey cmdlet to assign a context to the \$Context variable.

Online Version: <https://learn.microsoft.com/powershell/module/az.batch/stop-azbatchjobschedule>

Disable-AzBatchJobSchedule

Enable-AzBatchJobSchedule

Get-AzBatchAccountKey

Get-AzBatchJobSchedule

New-AzBatchJobSchedule

Remove-AzBatchJobSchedule

Azure Batch Cmdlets