



Windows PowerShell Get-Help on Cmdlet 'Stop-AzBatchPoolResize'

PS:\>Get-HELP Stop-AzBatchPoolResize -Full

NAME

Stop-AzBatchPoolResize

SYNOPSIS

Stops a pool resize operation.

SYNTAX

```
Stop-AzBatchPoolResize [-Id] <System.String> -BatchContext  
<Microsoft.Azure.Commands.Batch.BatchAccountContext> [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]  
[<CommonParameters>]
```

DESCRIPTION

The Stop-AzBatchPoolResize cmdlet stops an Azure Batch resize operation on a pool.

PARAMETERS

-BatchContext <Microsoft.Azure.Commands.Batch.BatchAccountContext>

Specifies the BatchAccountContext instance that this cmdlet uses to interact with the Batch service. If you use the Get-AzBatchAccount cmdlet to get your

BatchAccountContext, then Microsoft Entra authentication will be used when interacting with the Batch service. To use shared key authentication instead, use the

Get-AzBatchAccountKey cmdlet to get a BatchAccountContext object with its access keys populated. When using shared key authentication, the primary access key is

used by default. To change the key to use, set the BatchAccountContext.KeyInUse property.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	True (ByValue)
Accept wildcard characters?	false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-Id <System.String>

Specifies the ID of the pool for which this cmdlet stops a resizing operation.

Required?	true
Position?	0
Default value	None
Accept pipeline input?	True (ByPropertyName, ByValue)
Accept wildcard characters?	false

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters](https://go.microsoft.com/fwlink/?LinkID=113216) (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.Batch.BatchAccountContext

OUTPUTS

System.Void

NOTES

----- Example 1: Stop resizing a pool -----

```
Stop-AzBatchPoolResize -Id "ContosoPool06" -BatchContext $Context
```

This command stops a resize operation on the pool that has the ID ContosoPool06. Use the Get-AzBatchAccountKey cmdlet to assign a context to the \$Context variable.

---- Example 2: Stop resizing a pool by using the pipeline ----

```
Get-AzBatchPool -Id "ContosoPool06" -BatchContext $Context | Stop-AzBatchPoolResize -BatchContext $Context
```

This command stops resizing a pool by using the pipeline operator. The command gets the pool that has the ID ContosoPool06 by using the Get-AzBatchPool cmdlet. The

command passes that pool object to the current cmdlet. The command stops the resize operation on that pool.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.batch/stop-azbatchpoolresize>

[Get-AzBatchAccountKey](#)

[Get-AzBatchPool](#)

[Start-AzBatchPoolResize](#)

[Azure Batch Cmdlets](#)