



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Stop-AzDataFactoryV2DataFlowDebugSession'

PS:\>Get-HELP Stop-AzDataFactoryV2DataFlowDebugSession -Full

NAME

Stop-AzDataFactoryV2DataFlowDebugSession

SYNOPSIS

Stops a data flow debug session in Azure Data Factory

SYNTAX

Stop-AzDataFactoryV2DataFlowDebugSession [-DataFactory]

<Microsoft.Azure.Commands.DataFactoryV2.Models.PSDataFactory> [-SessionId] <System.String> [-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru] [-Confirm] [-WhatIf] [<CommonParameters>]

Stop-AzDataFactoryV2DataFlowDebugSession [-ResourceGroupName] <System.String> [-DataFactoryName] <System.String> [-SessionId] <System.String> [-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru] [-Confirm] [-WhatIf] [<CommonParameters>]

Stop-AzDataFactoryV2DataFlowDebugSession [-ResourceId] <System.String> [-SessionId] <System.String> [-DefaultProfile]

```
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer> [-PassThru]  
[-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

This command stops the debug session, if not then the session will be automatically turned off according to Time To Live setting of the debug session.

PARAMETERS

-DataFactory <Microsoft.Azure.Commands.DataFactoryV2.Models.PSDataFactory>

The data factory object.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-DataFactoryName <System.String>

The data factory name.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

If specified will write true in case operation succeeds. This parameter is optional.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceId <System.String>

The Azure resource ID.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-SessionId <System.String>

The data flow debug session ID.

Required? true
Position? 2
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.DataFactoryV2.Models.PSDataFactory

OUTPUTS

System.Void

System.Boolean

NOTES

Keywords: azure, azurerm, arm, resource, management, manager, data, factories

----- Example 1 -----

```
Stop-AzDataFactoryV2DataFlowDebugSession -ResourceGroupName adf -DataFactoryName WikiADF -SessionId  
fd76cd0d-8b37-4dc0-a370-3f9d43ac686d
```

Confirm

Are you sure you want to stop data flow debug session 'fd76cd0d-8b37-4dc0-a370-3f9d43ac686d' in data factory
'WikiADF'?

[Y] Yes [N] No [S] Suspend [?] Help (default is "Y"): y

Stops a data flow debug session "fd76cd0d-8b37-4dc0-a370-3f9d43ac686d" in data factory "WikiADF"

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.datafactory/stop-azdatafactoryv2dataflowdebugsession>

Start-AzDataFactoryV2DataFlowDebugSession

Get-AzDataFactoryV2DataFlowDebugSession

Add-AzDataFactoryV2DataFlowDebugSessionPackage

Invoke-AzDataFactoryV2DataFlowDebugSessionCommand