



Windows PowerShell Get-Help on Cmdlet 'Stop-AzDataFactoryV2Trigger'

PS: \>Get-HELP Stop-AzDataFactoryV2Trigger -Full

NAME

Stop-AzDataFactoryV2Trigger

SYNOPSIS

Stops a trigger in a data factory.

SYNTAX

```
Stop-AzDataFactoryV2Trigger [-ResourceGroupName] <System.String> [-DataFactoryName] <System.String> [-Name]
<System.String> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] [-Confirm]
[-WhatIf] [<CommonParameters>]
```

```
Stop-AzDataFactoryV2Trigger [-InputObject] <Microsoft.Azure.Commands.DataFactoryV2.Models.PSTrigger>
[-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] [-Confirm]
[-WhatIf] [<CommonParameters>]
```

```
Stop-AzDataFactoryV2Trigger [-ResourceId] <System.String> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
```

[-Force] [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The Stop-AzDataFactoryV2Trigger cmdlet stops a trigger in a data factory. If the trigger is in the 'Started' state, the cmdlet stops the trigger and no longer invokes pipelines. If the trigger is already in the 'Stopped' state, this cmdlet has no effect. If the Force parameter is specified, the cmdlet doesn't prompt before stopping the trigger.

PARAMETERS

-DataFactoryName <System.String>

The data factory name.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Runs the cmdlet without prompting for confirmation.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.DataFactoryV2.Models.PSTrigger>

Trigger object to start.

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-Name <System.String>

The trigger name.

Required? true
Position? 2
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name.

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-ResourceId <System.String>

The Azure resource ID.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what happens if the cmdlet runs, but doesn't run the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.DataFactoryV2.Models.PSTrigger

OUTPUTS

Microsoft.Azure.Commands.DataFactoryV2.Models.PSTrigger

NOTES

----- Example 1: Stop a trigger -----

```
Stop-AzDataFactoryV2Trigger -ResourceGroupName "ADF" -DataFactoryName "WikiADF" -TriggerName  
"ScheduledTrigger"
```

Confirm

Are you sure you want to stop trigger 'ScheduledTrigger' in data factory 'TestFactory'?

[Y] Yes [N] No [S] Suspend [?] Help (default is "Y"): y

True

Stops a trigger called "ScheduledTrigger" in the data factory "WikiADF".

Online Version: <https://learn.microsoft.com/powershell/module/az.datafactory/stop-azdatafactoryv2trigger>

Get-AzDataFactoryV2Trigger

Set-AzDataFactoryV2Trigger

Start-AzDataFactoryV2Trigger

Remove-AzDataFactoryV2Trigger