



Windows PowerShell Get-Help on Cmdlet 'Stop-AzLogicAppRun'

PS:\>Get-HELP Stop-AzLogicAppRun -Full

NAME

Stop-AzLogicAppRun

SYNOPSIS

Cancels a run of a logic app.

SYNTAX

```

Stop-AzLogicAppRun [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] -Name
<System.String>
-ResourceGroupName <System.String> -RunName <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Stop-AzLogicAppRun cmdlet cancels a run of a logic app. Specify the logic app, resource group, and run. This module supports dynamic parameters. To use a dynamic

parameter, type it in the command. To discover the names of dynamic parameters, type a hyphen (-) after the cmdlet name, and then press the Tab key repeatedly to

cycle through the available parameters. If you omit a required template parameter, the cmdlet prompts you for the value.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Forces the command to run without asking for user confirmation.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

Specifies the name of a logic app for which this cmdlet cancels a run.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceGroupName <System.String>

Specifies the name for a resource group in which this cmdlet cancels a run.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-RunName <System.String>

Specifies the name of a logic app run that this cmdlet cancels.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

System.String

OUTPUTS

System.Void

NOTES

----- Example 1: Cancel a run of a logic app -----

```
Stop-AzLogicAppRun -ResourceGroupName "ResourceGroup11" -Name "LogicApp03" -RunName  
"08587489104702792076" -Force
```

This command cancels a run of the logic app named LogicApp03.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.logicapp/stop-azlogicapprun>

Start-AzLogicApp

