



Windows PowerShell Get-Help on Cmdlet 'Stop-AzMarketplaceTerms'

PS:\>Get-HELP Stop-AzMarketplaceTerms -Full

NAME

Stop-AzMarketplaceTerms

SYNOPSIS

Cancel marketplace terms.

SYNTAX

```
Stop-AzMarketplaceTerms -Name <String> -Product <String> -Publisher <String> [-SubscriptionId <String>]
[-DefaultProfile <PSObject>] [-Break] [-HttpPipelineAppend
<SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential <PSCredential>]
[-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm]
[<CommonParameters>]
```

```
Stop-AzMarketplaceTerms -InputObject <IMarketplaceOrderingIdentity> [-DefaultProfile <PSObject>] [-Break]
[-HttpPipelineAppend <SendAsyncStep[]>]
[-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential <PSCredential>]
[-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm] [<CommonParameters>]
```

DESCRIPTION

Cancel marketplace terms.

PARAMETERS

-Name <String>

Plan identifier string of image being deployed.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Product <String>

Offer identifier string of image being deployed.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Publisher <String>

Publisher identifier string of image being deployed.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SubscriptionId <String>

The subscription ID that identifies an Azure subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-InputObject <IMarketplaceOrderingIdentity>

Identity Parameter

To construct, see NOTES section for INPUTOBJECT properties and create a hash table.

Required? true

Position? named

Default value

Accept pipeline input? true (ByValue)

Accept wildcard characters? false

-DefaultProfile <PSObject>

The DefaultProfile parameter is not functional.

Use the SubscriptionId parameter when available if executing the cmdlet against a different subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.PowerShell.Cmdlets.MarketplaceOrdering.Models.IMarketplaceOrderingIdentity

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.MarketplaceOrdering.Models.Api202101.IAgreementTerms

NOTES

COMPLEX PARAMETER PROPERTIES

To create the parameters described below, construct a hash table containing the appropriate properties. For information on hash tables, run Get-Help about_Hash_Tables.

INPUTOBJECT <IMarketplaceOrderingIdentity>: Identity Parameter

[Id <String>]: Resource identity path

[OfferId <String>]: Offer identifier string of image being deployed.

[OfferType <OfferType?>]: Offer Type, currently only virtualmachine type is supported.

[PlanId <String>]: Plan identifier string of image being deployed.

[PublisherId <String>]: Publisher identifier string of image being deployed.

[SubscriptionId <String>]: The subscription ID that identifies an Azure subscription.

----- EXAMPLE 1 -----

"windows2016"

----- EXAMPLE 2 -----

```
PS C:\>Get-AzMarketplaceTerms -Publisher "microsoft-ads" -Product "windows-data-science-vm" -Name "windows2016"  
| Stop-AzMarketplaceTerms
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.marketplaceordering/stop-azmarketplaceterms>