



Windows PowerShell Get-Help on Cmdlet 'Stop-AzSqlInstance'

PS:\>Get-HELP Stop-AzSqlInstance -Full

NAME

Stop-AzSqlInstance

SYNOPSIS

Stops Azure SQL Managed Instance

SYNTAX

```
Stop-AzSqlInstance [-InputObject] <AzureSqlManagedInstanceModel> [-ResourceGroupName] <String> [-AsJob]
[-DefaultProfile <IAzureContextContainer>] [-Force] [-Confirm]
[-WhatIf] [<CommonParameters>]
```

```
Stop-AzSqlInstance [-Name] <String> [-ResourceGroupName] <String> [-AsJob] [-DefaultProfile
<IAzureContextContainer>] [-Force] [-Confirm] [-WhatIf]
[<CommonParameters>]
```

```
Stop-AzSqlInstance [-ResourceGroupName] <String> [-ResourceId] <String> [-AsJob] [-DefaultProfile
<IAzureContextContainer>] [-Force] [-Confirm] [-WhatIf]
[<CommonParameters>]
```

DESCRIPTION

This command will initiate stopping of Azure SQL Managed Instance

PARAMETERS

-AsJob [<SwitchParameter>]

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force [<SwitchParameter>]

Skip confirmation message for performing the action

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <AzureSqlManagedInstanceModel>

The instance object to Stop

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <String>

The name of the instance.

Required? true

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <String>

The name of the resource group.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceId <String>

The resource id of instance object to Stop

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

Microsoft.Azure.Commands.Sql.ManagedInstance.Model.AzureSqlManagedInstanceModel

System.String

OUTPUTS

System.Boolean

NOTES

----- Example 1 -----

```
Stop-AzSqlInstance -Name instance-name -ResourceGroupName rg-name
```

Stops instance-name Azure SQL Managed Instance in rg-name resource group.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.sql/stop-azsqlinstance>

`Start-AzSqlInstance`

`Get-AzSqlInstanceStartStopSchedule`

`New-AzSqlInstanceStartStopSchedule`

`Remove-AzSqlInstanceStartStopSchedule`