



Windows PowerShell Get-Help on Cmdlet 'Stop-AzSqlInstanceDatabaseLogReplay'

PS:\>Get-HELP Stop-AzSqlInstanceDatabaseLogReplay -Full

NAME

Stop-AzSqlInstanceDatabaseLogReplay

SYNOPSIS

Cancels the Log Replay service by dropping the database.

SYNTAX

```

Stop-AzSqlInstanceDatabaseLogReplay [-InputObject]
<Microsoft.Azure.Commands.Sql.ManagedDatabase.Model.AzureSqlManagedDatabaseModel> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] [-PassThru]
[-Confirm] [-WhatIf] [<CommonParameters>]

```

```

Stop-AzSqlInstanceDatabaseLogReplay [-Name] <System.String> [-InstanceName] <System.String>
[-ResourceGroupName] <System.String> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] [-PassThru]
[-Confirm] [-WhatIf] [<CommonParameters>]

```

The Stop-AzSqlInstanceDatabaseLogReplay cmdlet drops the database and thus cancel Log Replay service.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Skip confirmation message for performing the action

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.Sql.ManagedDatabase.Model.AzureSqlManagedDatabaseModel>

The instance database object.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-InstanceName <System.String>

The name of the instance.

Required? true
Position? 1
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Name <System.String>

The name of the instance database.

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Defines Whether return the sync group.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-ResourceGroupName <System.String>

The name of the resource group.

Required? true
Position? 2
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.Sql.ManagedDatabase.Model.AzureSqlManagedDatabaseModel

OUTPUTS

Microsoft.Azure.Commands.Sql.ManagedDatabase.Model.AzureSqlManagedDatabaseModel

NOTES

----- Example 1 -----

```
Stop-AzSqlInstanceDatabaseLogReplay -ResourceGroupName "ResourceGroup01" -InstanceName  
"ManagedInstance01" -Name "ManagedDatabaseName"
```

This command will cancel log replay service on the given database.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.sql/Stop-AzSqlInstanceDatabaseLogReplay>