



## ***Windows PowerShell Get-Help on Cmdlet 'Stop-AzSqlInstanceDatabaseMove'***

***PS:\>Get-HELP Stop-AzSqlInstanceDatabaseMove -Full***

### NAME

Stop-AzSqlInstanceDatabaseMove

### SYNOPSIS

Stop move operation of a managed database.

### SYNTAX

```
Stop-AzSqlInstanceDatabaseMove [-AsJob] -DatabaseName <System.String> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InstanceName
<System.String> [-PassThru] -ResourceGroupName
    <System.String> -TargetInstanceName <System.String> [-TargetResourceGroupName <System.String>] [-Confirm]
[-WhatIf] [<CommonParameters>]
```

```
Stop-AzSqlInstanceDatabaseMove [-AsJob] [-DatabaseName <System.String>] [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-InstanceName
<System.String>] -MoveCopyOperationObject
    <Microsoft.Azure.Commands.Sql.ManagedDatabase.Model.ManagedDatabaseMoveCopyOperation> [-PassThru]
[-ResourceGroupName <System.String>] [-Confirm] [-WhatIf]
    [<CommonParameters>]
```

```

Stop-AzSqlInstanceDatabaseMove [-AsJob] -DatabaseObject
<Microsoft.Azure.Commands.Sql.ManagedDatabase.Model.AzureSqlManagedDatabaseModel> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InstanceName
<System.String> [-PassThru] -ResourceGroupName
    <System.String> -TargetInstanceName <System.String> [-TargetResourceGroupName <System.String>] [-Confirm]
[-WhatIf] [<CommonParameters>]

```

```

Stop-AzSqlInstanceDatabaseMove [-AsJob] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InstanceName
    <System.String> [-PassThru] -ResourceGroupName <System.String> -ResourceId <System.String>
-TargetInstanceName <System.String> [-TargetResourceGroupName
    <System.String>] [-Confirm] [-WhatIf] [<CommonParameters>]

```

```

Stop-AzSqlInstanceDatabaseMove [-AsJob] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -MoveModelObject
    <Microsoft.Azure.Commands.Sql.ManagedDatabase.Model.MoveCopyManagedDatabaseModel> [-PassThru] [-Confirm]
[-WhatIf] [<CommonParameters>]

```

## DESCRIPTION

The Stop-AzSqlInstanceDatabaseMove cmdlet stops move operation of a database between two Azure SQL Managed Instances.

## PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DatabaseName <System.String>

Name of the instance database.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DatabaseObject <Microsoft.Azure.Commands.Sql.ManagedDatabase.Model.AzureSqlManagedDatabaseModel>

Managed database object.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InstanceName <System.String>

Name of the source instance.

Required? true

Position?                named  
Default value            None  
Accept pipeline input?    False  
Accept wildcard characters? false

-MoveCopyOperationObject

<Microsoft.Azure.Commands.Sql.ManagedDatabase.Model.ManagedDatabaseMoveCopyOperation>

Managed database move or copy operation object.

Required?                true  
Position?                named  
Default value            None  
Accept pipeline input?    True (ByValue)  
Accept wildcard characters? false

-MoveModelObject <Microsoft.Azure.Commands.Sql.ManagedDatabase.Model.MoveCopyManagedDatabaseModel>

Object that is returned from start move operation.

Required?                true  
Position?                named  
Default value            None  
Accept pipeline input?    True (ByValue)  
Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Signal to receive output from a cmdlet which does not return anything

Required?                false  
Position?                named  
Default value            False  
Accept pipeline input?    False  
Accept wildcard characters? false

-ResourceGroupName <System.String>

Name of the source resource group.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceId <System.String>

Resource id of managed database.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-TargetInstanceName <System.String>

Name of the target Azure SQL Managed Instance.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-TargetResourceGroupName <System.String>

Name of the target resource group.

Required? false

Position? named

Default value None

Accept pipeline input? False  
Accept wildcard characters? false

**-Confirm <System.Management.Automation.SwitchParameter>**

Prompts you for confirmation before running the cmdlet.

Required? false  
Position? named  
Default value False  
Accept pipeline input? False  
Accept wildcard characters? false

**-WhatIf <System.Management.Automation.SwitchParameter>**

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false  
Position? named  
Default value False  
Accept pipeline input? False  
Accept wildcard characters? false

**<CommonParameters>**

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

**INPUTS**

Microsoft.Azure.Commands.Sql.ManagedDatabase.Model.MoveCopyManagedDatabaseModel

System.String

Microsoft.Azure.Commands.Sql.ManagedDatabase.Model.AzureSqlManagedDatabaseModel

Microsoft.Azure.Commands.Sql.ManagedDatabase.Model.ManagedDatabaseMoveCopyOperation

## OUTPUTS

System.Boolean

## NOTES

Example 1: Complete move database to another Managed Instance in the same resource group

```
Stop-AzSqlInstanceDatabaseMove -ResourceGroupName RG1 -InstanceName MI1 -Name database1  
-TargetInstanceName MI2
```

This command stops move operation of database1 on instance MI1 to instance MI2

Example 2: Complete move database to another Managed Instance in the different resource group

```
Stop-AzSqlInstanceDatabaseMove -ResourceGroupName RG1 -InstanceName MI1 -Name database1  
-TargetResourceGroupName RG2 -TargetInstanceName MI2
```

This command stops move operation of database1 on instance MI1 in resource group RG1 to instance MI2 in resource group RG2

## RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.sql/stop-azsqlinstancedatabasemove>

[Complete-AzSqlInstanceDatabaseMove](#)

[Get-AzSqlInstanceDatabaseMoveOperation](#)

[Move-AzSqlInstanceDatabase](#)