



Windows PowerShell Get-Help on Cmdlet 'Stop-AzSqlInstanceOperation'

PS: \>Get-HELP Stop-AzSqlInstanceOperation -Full

NAME

Stop-AzSqlInstanceOperation

SYNOPSIS

Stops a SQL managed instance's operations.

SYNTAX

```

Stop-AzSqlInstanceOperation [-InputObject]
<Microsoft.Azure.Commands.Sql.ManagedInstanceOperation.Model.AzureSqlManagedInstanceOperationModel>
[-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] [-Confirm]
[-WhatIf] [<CommonParameters>]

Stop-AzSqlInstanceOperation [-ManagedInstanceName] <System.String> [-Name] <System.String>
[-ResourceGroupName] <System.String> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] [-Confirm]
[-WhatIf] [<CommonParameters>]

```

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

[-Force] [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The Stop-AzSqlInstanceOperation cmdlet stops operation with provided operation name on a SQL managed instance.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Skip confirmation message for performing the action

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-InputObject

<Microsoft.Azure.Commands.Sql.ManagedInstanceOperation.Model.AzureSqlManagedInstanceOperationModel>

The operation to cancel

Required? true

Position? 0

Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-ManagedInstanceName <System.String>

The name of the instance.

Required? true
Position? 0
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Name <System.String>

The name of the operation.

Required? true
Position? 0
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ResourceGroupName <System.String>

The name of the resource group.

Required? true
Position? 1
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ResourceId <System.String>

The resource id of operation object to stop

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

System.String

Microsoft.Azure.Commands.Sql.ManagedInstanceOperation.Model.AzureSqlManagedInstanceOperationModel

OUTPUTS

Microsoft.Azure.Commands.Sql.ManagedInstanceOperation.Model.AzureSqlManagedInstanceOperationModel

NOTES

----- Example 1: Get a specific operation -----

```
Stop-AzSqlInstanceOperation -ResourceGroupName ps3753 -ManagedInstanceName ps3698 -Name  
d0f5bef5-e2b1-4ef8-bb42-2e54073874f9
```

```
Id :  
/subscriptions/a8c9a924-06c0-4bde-9788-e7b1370969e1/resourceGroups/ps3753/providers/Microsoft.Sql/managedInstanc  
es/ps3698/operations/d0f5bef5  
-e2b1-4ef8-bb42-2e54073874f9  
ResourceGroupName : ps3753  
ManagedInstanceName : ps3698  
Name : d0f5bef5-e2b1-4ef8-bb42-2e54073874f9  
Operation : UpsertManagedServer  
OperationFriendlyName : UPDATE MANAGED SERVER  
PercentComplete : 0  
StartTime : 3/16/2020 12:49:53 PM  
State : InProgress
```

ErrorCode :
 ErrorDescription :
 ErrorSeverity :
 IsUserError :
 EstimatedCompletionTime :
 Description :
 IsCancellable : True

This command stops operation with name 'd0f5bef5-e2b1-4ef8-bb42-2e54073874f9' on a SQL managed instance.

----- Example 2: Using operation resource id -----

```
$managedInstanceOperation = Get-AzSqlInstanceOperation -ResourceGroupName ps3753 -ManagedInstanceName
ps3698 -Name 4253bf58-34f1-4499-80c6-198d94c659f7
```

```
Get-AzSqlInstanceOperation -ResourceId $managedInstanceOperation.Id
```

```

    Id :
/subscriptions/a8c9a924-06c0-4bde-9788-e7b1370969e1/resourceGroups/ps3753/providers/Microsoft.Sql/managedInstanc
es/ps3698/operations/4253bf58
-34f1-4499-80c6-198d94c659f7
ResourceGroupName : ps3753
ManagedInstanceName : ps3698
Name : 4253bf58-34f1-4499-80c6-198d94c659f7
Operation : UpsertManagedServer
OperationFriendlyName : UPDATE MANAGED SERVER
PercentComplete : 0
StartTime : 3/16/2020 12:47:32 PM
State : InProgress
ErrorCode :
ErrorDescription :
ErrorSeverity :
IsUserError :
  
```

EstimatedCompletionTime :

Description :

IsCancellable : True

This command stops operation with resource id \$managedInstanceOperation.Id.

----- Example 3: Using operation object -----

```
$managedInstanceOperation = Get-AzSqlInstanceOperation -ResourceGroupName ps3753 -ManagedInstanceName  
ps3698 -Name b15a2b78-c42c-4e00-bf87-7ef4737552dc
```

```
Stop-AzSqlInstanceOperation -InputObject $managedInstanceOperation
```

```
Id  
:  
/subscriptions/a8c9a924-06c0-4bde-9788-e7b1370969e1/resourceGroups/ps3753/providers/Microsoft.Sql/managedInstanc  
es/ps3698/operations/b15a2b78
```

```
-c42c-4e00-bf87-7ef4737552dc
```

```
ResourceGroupName : ps3753
```

```
ManagedInstanceName : ps3698
```

```
Name : b15a2b78-c42c-4e00-bf87-7ef4737552dc
```

```
Operation : UpsertManagedServer
```

```
OperationFriendlyName : UPDATE MANAGED SERVER
```

```
PercentComplete : 0
```

```
StartTime : 3/16/2020 12:44:57 PM
```

```
State : InProgress
```

```
ErrorCode :
```

```
ErrorDescription :
```

```
ErrorSeverity :
```

```
IsUserError :
```

```
EstimatedCompletionTime :
```

```
Description :
```

```
IsCancellable : True
```

This command stops operation with object \$managedInstanceOperation.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.sql/stop-azsqlinstanceoperation>