



Windows PowerShell Get-Help on Cmdlet 'Stop-AzSqlSyncGroupSync'

PS:\>Get-HELP Stop-AzSqlSyncGroupSync -Full

NAME

Stop-AzSqlSyncGroupSync

SYNOPSIS

Stops a sync group synchronization.

SYNTAX

```
Stop-AzSqlSyncGroupSync [-ResourceGroupName] <System.String> [-ServerName] <System.String> [-DatabaseName]
<System.String> [-SyncGroupName] <System.String>
[-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-PassThru] [-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Stop-AzSqlSyncGroupSync cmdlet stops a sync group synchronization.

PARAMETERS

-DatabaseName <System.String>

The name of the Azure SQL Database.

Required? true

Position? 2

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Defines Whether return the sync group

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

The name of the resource group.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ServerName <System.String>

The name of the Azure SQL Server.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-SyncGroupName <System.String>

The sync group name.

Required? true

Position? 3

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

System.String

OUTPUTS

Microsoft.Azure.Commands.Sql.DataSync.Model.AzureSqlSyncGroupModel

NOTES

----- Example 1 -----

Stop-AzSqlSyncGroupSync -SyncGroupName mysg -ServerName mysrv -DatabaseName mydb -ResourceGroupName myrg

This command stops the synchronization which is ongoing for the sync group mysg.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.sql/stop-azsqlsyncgroupsync>

Start-AzSqlSyncGroupSync