



Windows PowerShell Get-Help on Cmdlet 'Stop-AzSynapseDataFlowDebugSession'

PS:\>Get-HELP Stop-AzSynapseDataFlowDebugSession -Full

NAME

Stop-AzSynapseDataFlowDebugSession

SYNOPSIS

Stops a data flow debug session in a workspace.

SYNTAX

Stop-AzSynapseDataFlowDebugSession [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] [-PassThru]

-SessionId <System.String> -WorkspaceName <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

Stop-AzSynapseDataFlowDebugSession [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] [-PassThru]

-SessionId <System.String> -WorkspaceObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace>

[-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The Stop-AzSynapseDataFlowDebugSession cmdlet stops a data flow debug session in a workspace specified with the

SessionId.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Do not ask for confirmation.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

This Cmdlet does not return an object by default. If this switch is specified, it returns true if successful.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-SessionId <System.String>

Identifier of Spark session.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-WorkspaceName <System.String>

Name of Synapse workspace.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-WorkspaceObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace>

workspace input object, usually passed through the pipeline.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace

OUTPUTS

System.Boolean

NOTES

----- Example 1 -----

```
Stop-AzSynapseDataFlowDebugSession -workspacename ContosoWorkspace -sessionid  
c744f68d-a101-4115-9cd5-8b11314fe4b8
```

Confirm

Are you sure you want to stop data flow debug session 'c744f68d-a101-4115-9cd5-8b11314fe4b8' in workspace 'ContosoWorkspace'?

[Y] Yes [N] No [S] Suspend [?] Help (default is "Y"): y

This command stops the data flow debug session "c744f68d-a101-4115-9cd5-8b11314fe4b8" in the workspace ContosoWorkspace.

----- Example 2 -----

```
$ws = Get-AzSynapseWorkspace -Name ContosoWorkspace -ResourceGroupName ContosoGroup  
$ws | Stop-AzSynapseDataFlowDebugSession -sessionid c744f68d-a101-4115-9cd5-8b11314fe4b8
```

Confirm

Are you sure you want to stop data flow debug session 'c744f68d-a101-4115-9cd5-8b11314fe4b8' in workspace 'ContosoWorkspace'?

[Y] Yes [N] No [S] Suspend [?] Help (default is "Y"): y

This command stops the data flow debug session "c744f68d-a101-4115-9cd5-8b11314fe4b8" through pipeline.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.synapse/stop-azsynapsedataflowdebugsession>