



Windows PowerShell Get-Help on Cmdlet 'Suspend-AzAnalysisServicesServer'

PS:\>Get-HELP Suspend-AzAnalysisServicesServer -Full

NAME

Suspend-AzAnalysisServicesServer

SYNOPSIS

Suspends an instance of Analysis Services server

SYNTAX

Suspend-AzAnalysisServicesServer [-Name] <System.String> [[-ResourceGroupName] <System.String>] [-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru] [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The Suspend-AzAnalysisServicesServer cmdlet suspends an instance of Analysis Services server

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Name <System.String>

Name of the Analysis Services server

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Will return the deleted server details if the operation completes successfully

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-ResourceGroupName <System.String>

Name of the Azure resource group to which the server belongs

Required? false
Position? 1
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts user to confirm whether to perform the operation

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Describes the actions the current operation will perform without actually performing them

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

Microsoft.Azure.Commands.AnalysisServices.Models.AzureAnalysisServicesServer

NOTES

Alias: Suspend-AzAs

----- Example 1 -----

```
Suspend-AzAnalysisServicesServer -Name "testserver" -ResourceGroupName "testgroup"
```

This command will suspend an active server named testserver in the resourcegroup testgroup

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.analysis/suspend-azanalysis-services-server>

Get-AzAnalysisServicesServer

Resume-AzAnalysisServicesServer