



### *Windows PowerShell Get-Help on Cmdlet 'Suspend-AzSqlDatabase'*

***PS:\>Get-HELP Suspend-AzSqlDatabase -Full***

#### NAME

Suspend-AzSqlDatabase

#### SYNOPSIS

Suspends a SQL Data Warehouse database.

#### SYNTAX

```
Suspend-AzSqlDatabase [-ResourceGroupName] <System.String> [-ServerName] <System.String> [-AsJob]
-DatabaseName <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]
[<CommonParameters>]
```

#### DESCRIPTION

The Suspend-AzSqlDatabase cmdlet suspends an Azure SQL Data Warehouse database.

#### PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false  
Position? named  
Default value False  
Accept pipeline input? False  
Accept wildcard characters? false

`-DatabaseName <System.String>`

Specifies the name of the database that this cmdlet suspends.

Required? true  
Position? named  
Default value None  
Accept pipeline input? True (ByPropertyName)  
Accept wildcard characters? false

`-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>`

The credentials, account, tenant, and subscription used for communication with azure

Required? false  
Position? named  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

`-ResourceGroupName <System.String>`

Specifies the name of the resource group to which the server is assigned.

Required? true  
Position? 0  
Default value None  
Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

**-ServerName <System.String>**

Specifies the name of the server which hosts the database.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

**-Confirm <System.Management.Automation.SwitchParameter>**

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

**-WhatIf <System.Management.Automation.SwitchParameter>**

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

**<CommonParameters>**

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see

about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

## INPUTS

System.String

## OUTPUTS

Microsoft.Azure.Commands.Sql.Database.Model.AzureSqlDatabaseModel

## NOTES

The `Suspend-AzSqlDatabase` \* cmdlet works only on Azure SQL Data Warehouse databases. This operation is not supported on Azure SQL Database Basic, Standard and Premium editions.

--- Example 1: Suspends an Azure SQL Data Warehouse database ---

```
Suspend-AzSqlDatabase -ResourceGroupName "ResourceGroup01" -ServerName "Server01" -DatabaseName "Database01"
```

This command suspends an active Azure SQL Data Warehouse database.

## RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.sql/suspend-azsqldatabase>

[Get-AzSqlDatabase](#)

[New-AzSqlDatabase](#)

[Remove-AzSqlDatabase](#)

Resume-AzSqlDatabase

Set-AzSqlDatabase

SQL Database Documentation <https://learn.microsoft.com/azure/sql-database/>