



Windows PowerShell Get-Help on Cmdlet 'Suspend-AzSynapseSqlPool'

PS:\>Get-HELP Suspend-AzSynapseSqlPool -Full

NAME

Suspend-AzSynapseSqlPool

SYNOPSIS

Suspends a Synapse Analytics SQL pool.

SYNTAX

```
Suspend-AzSynapseSqlPool [-AsJob] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputObject
<Microsoft.Azure.Commands.Synapse.Models.PSSynapseSqlPool> [-PassThru] [-Confirm] [-WhatIf]
[<CommonParameters>]
```

```
Suspend-AzSynapseSqlPool [-AsJob] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name <System.String>
[-PassThru] [-ResourceGroupName <System.String>] -WorkspaceName <System.String> [-Confirm] [-WhatIf]
[<CommonParameters>]
```

Suspend-AzSynapseSqlPool [-AsJob] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name <System.String>

[-PassThru] -WorkspaceObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace> [-Confirm]
[-WhatIf] [<CommonParameters>]

Suspend-AzSynapseSqlPool [-AsJob] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru]
-ResourceId
<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The Suspend-AzSynapseSqlPool cmdlet suspends an Azure Synapse Analytics SQL pool.

PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-InputObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseSqlPool>

SQL pool input object, usually passed through the pipeline.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <System.String>

Name of Synapse SQL pool.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

This Cmdlet does not return an object by default. If this switch is specified, it returns true if successful.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Resource group name.

Required? false

Position? named

Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ResourceId <System.String>

Resource identifier of Synapse SQL Pool.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-WorkspaceName <System.String>

Name of Synapse workspace.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-WorkspaceObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace>

workspace input object, usually passed through the pipeline.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace

Microsoft.Azure.Commands.Synapse.Models.PSSynapseSqlPool

OUTPUTS

Microsoft.Azure.Commands.Synapse.Models.PSSynapseSqlPool

NOTES

----- Example 1 -----

```
Suspend-AzSynapseSqlPool -WorkspaceName ContosoWorkspace -Name ContosoSqlPool
```

This command suspends an active Azure Synapse Analytics SQL pool.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.synapse/suspend-azsynapsesqlpool>