



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Switch-AzWebAppSlot'

PS:\>Get-HELP Switch-AzWebAppSlot -Full

NAME

Switch-AzWebAppSlot

SYNOPSIS

Swap two slots within a Web App

SYNTAX

```
Switch-AzWebAppSlot [-ResourceGroupName] <System.String> [-SourceSlotName] <System.String>
[-DestinationSlotName] <System.String> [-Name] <System.String>
[-SwapWithPreviewAction] {ApplySlotConfig | CompleteSlotSwap | ResetSlotSwap} [-PreserveVnet]
<System.Nullable`1[System.Boolean]> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]
[<CommonParameters>]
```

```
Switch-AzWebAppSlot [-SourceSlotName] <System.String> [-WebApp]
<Microsoft.Azure.Commands.WebApps.Models.PSSite> [-DestinationSlotName] <System.String>
[-SwapWithPreviewAction] {ApplySlotConfig | CompleteSlotSwap | ResetSlotSwap} [-PreserveVnet]
<System.Nullable`1[System.Boolean]> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]
```

[<CommonParameters>]

DESCRIPTION

The Switch-AzWebAppSlot cmdlet switches two slots associated with an Azure Web App.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DestinationSlotName <System.String>

Destination Slot Name

Required? false

Position? 1

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

WebApp Name

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-PreserveVnet <System.Nullable`1[System.Boolean]>

Preserve Vnet Boolean

Required? false

Position? 3

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Resource Group Name

Required? true

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-SourceSlotName <System.String>

Source Slot Name

Required? true

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-SwapWithPreviewAction <System.Nullable`1[Microsoft.Azure.Commands.WebApps.Utilities.SwapWithPreviewAction]>

Swap With Preview Action

Required? false

Page 3/6

Position? 2
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-WebApp <Microsoft.Azure.Commands.WebApps.Models.PSSite>

WebApp Object

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.WebApps.Models.PSSite

OUTPUTS

System.Void

NOTES

----- Example 1 -----

```
Switch-AzWebAppSlot -SourceSlotName "sourceslot" -DestinationSlotName "destinationslot" -ResourceGroupName "Default-Web-WestUS" -Name "ContosoWebApp"
```

This command will switch slot "sourceslot" with slot "destinationslot" on the Web App ContosoWebApp in the resource group Default-Web-WestUS.

> [!NOTE] > Use "production" as the slot name when either the source or destination slot is intended to be the production slot.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.websites/switch-azwebappslot>