



Windows PowerShell Get-Help on Cmdlet 'Sync-AzAnalysisServicesInstance'

PS:\>Get-HELP Sync-AzAnalysisServicesInstance -Full

NAME

Sync-AzAnalysisServicesInstance

SYNOPSIS

Synchronizes a specified database on the specified instance of Analysis Services server to all the query scaleout instances in the currently logged in Environment as specified in Add-AzAnalysisServicesAccount command

SYNTAX

Sync-AzAnalysisServicesInstance [-Instance] <System.String> [-Database] <System.String> [-PassThru] [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The Sync-AzAnalysisServicesInstance cmdlet synchronizes a specified database on the specified instance of Analysis Services server to all the query scaleout instances in the currently logged in Environment as specified in Add-AzAnalysisServicesAccount command

PARAMETERS

-Database <System.String>

Identity of the database to be synchronized

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Instance <System.String>

Name of the Analysis Services server instance to restart

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Specifying this will return true if the command was successful.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

Microsoft.Azure.Commands.AnalysisServices.Dataplane.Models.ScaleOutServerDatabaseSyncDetails

NOTES

----- Example 1 -----

```
Sync-AzAnalysisServicesInstance -Instance asazure://westus.asazure.windows.net/contoso -Database SalesOrders
```

This command will synchronize the database named SalesOrders in the server named 'contoso' in the environment westus.asazure.windows.net provided the user has logged-in to this environment using Add-AzAnalysisServicesAccount command.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.analysiservices/sync-azanalysiservicesinstance>