



Windows PowerShell Get-Help on Cmdlet 'Sync-AzApiManagementKeyVaultSecret'

PS:\>Get-HELP Sync-AzApiManagementKeyVaultSecret -Full

NAME

Sync-AzApiManagementKeyVaultSecret

SYNOPSIS

Refreshes NamedValue or Certificate created by KeyVault.

SYNTAX

Sync-AzApiManagementKeyVaultSecret [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-InputObjectCert

<Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementCertificate>]

[-InputObjectNamedvalue

<Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementNamedValue>] [-Confirm]

[-WhatIf] [<CommonParameters>]

Sync-AzApiManagementKeyVaultSecret [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -ResourceId

<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

Refreshes NamedValue or Certificate created by KeyVault.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputObjectCert

<Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementCertificate>

Instance of PsApiManagementCert. This parameter or NameValue is required.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-InputObjectNamedvalue

<Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementNamedValue>

Instance of PsApiManagementNamedvalue. This parameter or Certificate is required.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-ResourceId <System.String>

Arm ResourceId of the Keyvault Based object. This parameter is required.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementCertificate

Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementNamedValue

OUTPUTS

Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementKeyVaultEntity

NOTES

----- Example 1 -----

```
$apimContext = New-AzApiManagementContext -ResourceGroupName "Api-Default-WestUS" -ServiceName "contoso"  
Get-AzApiManagementCertificate -ResourceId $kvcert.Id | Sync-AzApiManagementKeyVaultSecret
```

This command refreshes NamedValue or Certificate created by KeyVault.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.apimanagement/sync-azapimanagementkeyvaultsecret>

