



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Sync-AzDataFactoryV2IntegrationRuntimeCredential'

PS:\>Get-HELP Sync-AzDataFactoryV2IntegrationRuntimeCredential -Full

NAME

Sync-AzDataFactoryV2IntegrationRuntimeCredential

SYNOPSIS

Synchronizes credentials among integration runtime nodes.

SYNTAX

```
Sync-AzDataFactoryV2IntegrationRuntimeCredential [-ResourceGroupName] <System.String> [-DataFactoryName]
<System.String> [-IntegrationRuntimeName] <System.String>
[-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-Force] [-Confirm] [-WhatIf] [<CommonParameters>]
```

Sync-AzDataFactoryV2IntegrationRuntimeCredential [-InputObject]

```
<Microsoft.Azure.Commands.DataFactoryV2.Models.PSIntegrationRuntime> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] [-Confirm]
[-WhatIf] [<CommonParameters>]
```

```
Sync-AzDataFactoryV2IntegrationRuntimeCredential [-ResourceId] <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] [-Confirm]
```

[-WhatIf] [<CommonParameters>]

DESCRIPTION

The `Sync-AzDataFactoryV2IntegrationRuntimeCredential` cmdlet synchronizes on-premises credentials among integration runtime nodes, which forces the credentials to be identical in all nodes.

PARAMETERS

`-DataFactoryName <System.String>`

The data factory name.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

`-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>`

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

`-Force <System.Management.Automation.SwitchParameter>`

Runs the cmdlet without prompting for confirmation.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.DataFactoryV2.Models.PSIntegrationRuntime>

The integration runtime object.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-IntegrationRuntimeName <System.String>

The integration runtime name.

Required? true

Position? 2

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceId <System.String>

The Azure resource ID.

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what happens if the cmdlet runs, but doesn't run the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.DataFactoryV2.Models.PSIntegrationRuntime

OUTPUTS

System.Void

NOTES

----- Example 1: Sync an integration runtime credential -----

```
Sync-AzDataFactoryV2IntegrationRuntimeCredential -DataFactoryName 'test-df-eu2' -IntegrationRuntimeName  
'test-selfhost-ir' -ResourceGroupName 'rg-test-dfv2'
```

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.datafactory/sync-azdatafactoryv2integrationruntimecredential>