



## ***Windows PowerShell Get-Help on Cmdlet 'Sync-AzMediaServiceStorageKey'***

***PS:\>Get-HELP Sync-AzMediaServiceStorageKey -Full***

### NAME

Sync-AzMediaServiceStorageKey

### SYNOPSIS

Synchronizes storage account keys for a storage account associated with the media service.

### SYNTAX

```
Sync-AzMediaServiceStorageKey [-ResourceGroupName] <System.String> [-AccountName] <System.String>
[-StorageAccountId] <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]
[<CommonParameters>]
```

### DESCRIPTION

The Sync-AzMediaServiceStorageKey cmdlet synchronizes storage account keys for a storage account associated with the media service.

-AccountName <System.String>

Specifies the name of the media service that this cmdlet synchronizes.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Specifies the name of the resource group that contains the media service.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-StorageAccountId <System.String>

Specifies the storage account ID associated with the media service account.

Required? true

Position? 2

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

#### -Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

#### -WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

#### <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about\\_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

## INPUTS

System.String

## OUTPUTS

## NOTES

Example 1: Synchronize storage account keys for a storage account associated with the media service

```
$StorageAccount = Get-AzStorageAccount -ResourceGroupName "ResourceGroup001" -Name "Storage135"  
    Sync-AzMediaServiceStorageKey -ResourceGroupName "ResourceGroup001" -AccountName "MediasService001"  
-StorageAccountId $StorageAccount.Id
```

The first command uses the Get-AzStorageAccount cmdlet to get the storage account named Storage135 that belongs to ResourceGroup001 and stores the result in the

variable named \$StorageAccount. The second command synchronizes the storage account keys for the media service named MediaService001 using the Id property contained

in the \$StorageAccount variable.

## RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.media/sync-azmediaservicestoragekey>