



Windows PowerShell Get-Help on Cmdlet 'Test-AzAppConfigurationKeyValue'

PS:\>Get-HELP Test-AzAppConfigurationKeyValue -Full

NAME

Test-AzAppConfigurationKeyValue

SYNOPSIS

Requests the headers and status of the given resource.

SYNTAX

```
Test-AzAppConfigurationKeyValue -Endpoint <String> -Key <String> [-Label <String>] [-Select <List`1>]
[-AcceptDatetime <String>] [-IfMatch <String>] [-IfNoneMatch
<String>] [-SyncToken <String>] [-DefaultProfile <PSObject>] [-Break] [-HttpPipelineAppend <SendAsyncStep[]>]
[-HttpPipelinePrepend <SendAsyncStep[]>] [-PassThru]
[-Proxy <Uri>] [-ProxyCredential <PSCredential>] [-ProxyUseDefaultCredentials] [<CommonParameters>]
```

```
Test-AzAppConfigurationKeyValue -Endpoint <String> -InputObject <IAppConfigurationdataIdentity> [-Label <String>]
[-Select <List`1>] [-AcceptDatetime <String>]
[-IfMatch <String>] [-IfNoneMatch <String>] [-SyncToken <String>] [-DefaultProfile <PSObject>] [-Break]
[-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend
<SendAsyncStep[]>] [-PassThru] [-Proxy <Uri>] [-ProxyCredential <PSCredential>] [-ProxyUseDefaultCredentials]
[<CommonParameters>]
```

DESCRIPTION

Requests the headers and status of the given resource.

PARAMETERS

-Endpoint <String>

The endpoint of the App Configuration instance to send requests to.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Key <String>

The key of the key-value to retrieve.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-InputObject <IAppConfigurationdataIdentity>

Identity Parameter

Required? true

Position? named

Default value

Accept pipeline input? true (ByValue)

Accept wildcard characters? false

-Label <String>

The label of the key-value to retrieve.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Select <List`1>

Used to select what fields are present in the returned resource(s).

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-AcceptDatetime <String>

Requests the server to respond with the state of the resource at the specified time.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-IfMatch <String>

Used to perform an operation only if the targeted resource's etag matches the value provided.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

`-IfNoneMatch <String>`

Used to perform an operation only if the targeted resource's etag does not match the value provided.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

`-SyncToken <String>`

Used to guarantee real-time consistency between requests.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

`-DefaultProfile <PSObject>`

The DefaultProfile parameter is not functional.

Use the SubscriptionId parameter when available if executing the cmdlet against a different subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

`-Break [<SwitchParameter>]`

Wait for .NET debugger to attach

Required?	false
Position?	named
Default value	False
Accept pipeline input?	false
Accept wildcard characters?	false

-HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required?	false
Position?	named
Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

-HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required?	false
Position?	named
Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

-PassThru [<SwitchParameter>]

Returns true when the command succeeds

Required?	false
Position?	named
Default value	False
Accept pipeline input?	false

Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see

about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.PowerShell.Cmdlets.AppConfigurationdata.Models.IAppConfigurationdataIdentity

OUTPUTS

System.Boolean

NOTES

COMPLEX PARAMETER PROPERTIES

To create the parameters described below, construct a hash table containing the appropriate properties. For information on hash tables, run Get-Help

about_Hash_Tables.

INPUTOBJECT <IAppConfigurationdataIdentity>: Identity Parameter

[Id <String>]: Resource identity path

[Key <String>]: The key of the key-value to retrieve.

----- EXAMPLE 1 -----

PS C:\>Test-AzAppConfigurationKeyValue -Endpoint \$endpoint -Key keyName1

----- EXAMPLE 2 -----

```
PS C:\>Test-AzAppConfigurationKeyValue -Endpoint $endpoint -Key keyName*
```

----- EXAMPLE 3 -----

```
PS C:\>Test-AzAppConfigurationKeyValue -Endpoint $endpoint -Key keyName5
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.appconfiguration/test-azappconfigurationkeyvalue>