



## ***Windows PowerShell Get-Help on Cmdlet 'Test-AzContainerRegistryWebhook'***

***PS:\>Get-HELP Test-AzContainerRegistryWebhook -Full***

### NAME

Test-AzContainerRegistryWebhook

### SYNOPSIS

Triggers a ping event to be sent to the webhook.

### SYNTAX

```
Test-AzContainerRegistryWebhook -Name <String> -RegistryName <String> -ResourceGroupName <String>
[-SubscriptionId <String>] [-DefaultProfile <PSObject>] [-Break]
[-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential
<PSCredential>] [-ProxyUseDefaultCredentials]
[-WhatIf] [-Confirm] [<CommonParameters>]
```

```
Test-AzContainerRegistryWebhook [-SubscriptionId <String>] -Webhook <IWebhook> [-DefaultProfile <PSObject>]
[-Break] [-HttpPipelineAppend <SendAsyncStep[]>]
[-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential <PSCredential>]
[-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm] [<CommonParameters>]
```

## DESCRIPTION

Triggers a ping event to be sent to the webhook.

## PARAMETERS

-Name <String>

The name of the webhook.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-RegistryName <String>

The name of the container registry.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ResourceGroupName <String>

The name of the resource group.

The name is case insensitive.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

#### -SubscriptionId <String>

The ID of the target subscription.

The value must be an UUID.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

#### -Webhook <IWebhook>

The webhook object.

To construct, see NOTES section for WEBHOOK properties and create a hash table.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

#### -DefaultProfile <PSObject>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

#### -Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required? false

Position?                  named  
Default value              False  
Accept pipeline input?    false  
Accept wildcard characters? false

**-HttpPipelineAppend <SendAsyncStep[]>**

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required?                  false  
Position?                  named  
Default value  
Accept pipeline input?    false  
Accept wildcard characters? false

**-HttpPipelinePrepend <SendAsyncStep[]>**

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required?                  false  
Position?                  named  
Default value  
Accept pipeline input?    false  
Accept wildcard characters? false

**-Proxy <Uri>**

The URI for the proxy server to use

Required?                  false  
Position?                  named  
Default value  
Accept pipeline input?    false  
Accept wildcard characters? false

**-ProxyCredential <PSCredential>**

Credentials for a proxy server to use for the remote call

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

#### -ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

#### -WhatIf [<SwitchParameter>]

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

#### -Confirm [<SwitchParameter>]

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

## <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about\\_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

## INPUTS

## OUTPUTS

System.String

## NOTES

## COMPLEX PARAMETER PROPERTIES

To create the parameters described below, construct a hash table containing the appropriate properties. For information on hash tables, run `Get-Help`

`about_Hash_Tables`.

WEBHOOK <IWebhook>: The webhook object.

Location <String>: The location of the resource. This cannot be changed after the resource is created.

[SystemDataCreatedAt <DateTime?>]: The timestamp of resource creation (UTC).

[SystemDataCreatedBy <String>]: The identity that created the resource.

[SystemDataCreatedByType <CreatedByType?>]: The type of identity that created the resource.

[SystemDataLastModifiedAt <DateTime?>]: The timestamp of resource modification (UTC).

[SystemDataLastModifiedBy <String>]: The identity that last modified the resource.

[SystemDataLastModifiedByType <LastModifiedByType?>]: The type of identity that last modified the resource.

[Tag <IResourceTags>]: The tags of the resource.

[(Any) <String>]: This indicates any property can be added to this object.

[Action <WebhookAction[]>]: The list of actions that trigger the webhook to post notifications.

[Scope <String>]: The scope of repositories where the event can be triggered. For example, 'foo:\*' means events for

all tags under repository 'foo'. 'foo:bar'

means events for 'foo:bar' only. 'foo' is equivalent to 'foo:latest'. Empty means all events.

[Status <WebhookStatus?>]: The status of the webhook at the time the operation was called.

#### ----- EXAMPLE 1 -----

```
PS C:\>Test-AzContainerRegistryWebhook -ResourceGroupName "MyResourceGroup" -RegistryName  
"RegistryExample" -Name "webhook001"
```

#### RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.containerregistry/test-azcontainerregistrywebhook>