



**Full credit is given to all the above companies including the Operating System that this PDF file was generated!**

### ***Windows PowerShell Get-Help on Cmdlet 'Test-AzDataLakeStoreAccount'***

**PS:\>Get-HELP Test-AzDataLakeStoreAccount -Full**

#### **NAME**

Test-AzDataLakeStoreAccount

#### **SYNOPSIS**

Tests the existence of a Data Lake Store account.

#### **SYNTAX**

```
Test-AzDataLakeStoreAccount [-Name] <System.String> [[-ResourceGroupName] <System.String>] [-DefaultProfile  
                                <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]  
[<CommonParameters>]
```

#### **DESCRIPTION**

The Test-AzDataLakeStoreAccount cmdlet tests the existence of a Data Lake Store account.

#### **PARAMETERS**

**-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>**

The credentials, account, tenant, and subscription used for communication with azure

**Page 1/3**

Required? false  
Position? named  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

#### -Name <System.String>

Specifies the name of the Data Lake Store account to test.

Required? true  
Position? 0  
Default value None  
Accept pipeline input? True (ByPropertyName)  
Accept wildcard characters? false

#### -ResourceGroupName <System.String>

Specifies the name of the resource group that contains the account to test.

Required? false  
Position? 1  
Default value None  
Accept pipeline input? True (ByPropertyName)  
Accept wildcard characters? false

#### <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

## INPUTS

System.String

Page 2/3

## OUTPUTS

System.Boolean

## NOTES

----- Example 1: Test an account -----

```
Test-AzDataLakeStoreAccount -Name "ContosoADL"
```

This command tests whether the account named ContosoADL exists.

## RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.datalakestore/test-azdatalakestoreaccount>

[Get-AzDataLakeStoreAccount](#)

[New-AzDataLakeStoreAccount](#)

[Remove-AzDataLakeStoreAccount](#)

[Set-AzDataLakeStoreAccount](#)