



Windows PowerShell Get-Help on Cmdlet 'Test-AzSignalRName'

PS:\>Get-HELP Test-AzSignalRName -Full

NAME

Test-AzSignalRName

SYNOPSIS

Check the availability of a name. Alias: Test-AzSignal.

SYNTAX

Test-AzSignalRName [-Name] <System.String> [-Location] <System.String> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

[<CommonParameters>]

DESCRIPTION

Check the availability of a name. Alias: Test-AzSignal.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Location <System.String>

The SignalR service location.

Required? true
Position? 1
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Name <System.String>

The SignalR service name.

Required? true
Position? 0
Default value None
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

None

OUTPUTS

System.Boolean

NOTES

----- Check an existed name. -----

Test-AzSignalRName -Name existedsignalr -Location eastus

False

----- Check an unexisted name. -----

Test-AzSignalRName -Name unexistedsignalr -Location eastus

True

