



Windows PowerShell Get-Help on Cmdlet 'Test-AzSupportTicketsNoSubscriptionNameAvailability'

PS:\>Get-HELP Test-AzSupportTicketsNoSubscriptionNameAvailability -Full

NAME

Test-AzSupportTicketsNoSubscriptionNameAvailability

SYNOPSIS

Check the availability of a resource name.

This API should be used to check the uniqueness of the name for support ticket creation for the selected subscription.

SYNTAX

```
Test-AzSupportTicketsNoSubscriptionNameAvailability -Name <String> -Type <String> [-DefaultProfile <PSObject>]
[-Break] [-HttpPipelineAppend <SendAsyncStep[]>]
[-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential <PSCredential>]
[-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm] [<CommonParameters>]
```

```
Test-AzSupportTicketsNoSubscriptionNameAvailability -CheckNameAvailabilityInput <ICheckNameAvailabilityInput>
[-DefaultProfile <PSObject>] [-Break]
[-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential
<PSCredential>] [-ProxyUseDefaultCredentials]
[-WhatIf] [-Confirm] [<CommonParameters>]
```

```

Test-AzSupportTicketsNoSubscriptionNameAvailability -JsonFilePath <String> [-DefaultProfile <PSObject>] [-Break]
[-HttpPipelineAppend <SendAsyncStep[]>]
[-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential <PSCredential>]
[-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm] [<CommonParameters>]

```

```

Test-AzSupportTicketsNoSubscriptionNameAvailability -JsonString <String> [-DefaultProfile <PSObject>] [-Break]
[-HttpPipelineAppend <SendAsyncStep[]>]
[-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential <PSCredential>]
[-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm] [<CommonParameters>]

```

DESCRIPTION

Check the availability of a resource name.

This API should be used to check the uniqueness of the name for support ticket creation for the selected subscription.

PARAMETERS

-CheckNameAvailabilityInput <ICheckNameAvailabilityInput>

Input of CheckNameAvailability API.

Required? true

Position? named

Default value

Accept pipeline input? true (ByValue)

Accept wildcard characters? false

-Name <String>

The resource name to validate.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Type <String>

The type of resource.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-JsonFilePath <String>

Path of Json file supplied to the Check operation

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-JsonString <String>

Json string supplied to the Check operation

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DefaultProfile <PSObject>

The DefaultProfile parameter is not functional.

Use the SubscriptionId parameter when available if executing the cmdlet against a different subscription.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.PowerShell.Cmdlets.Support.Models.ICheckNameAvailabilityInput

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.Support.Models.ICheckNameAvailabilityOutput

NOTES

COMPLEX PARAMETER PROPERTIES

To create the parameters described below, construct a hash table containing the appropriate properties. For information on hash tables, run Get-Help about_Hash_Tables.

CHECKNAMEAVAILABILITYINPUT <ICheckNameAvailabilityInput>: Input of CheckNameAvailability API.

Name <String>: The resource name to validate.

Type <String>: The type of resource.

----- EXAMPLE 1 -----

```
PS C:\>Test-AzSupportTicketsNoSubscriptionNameAvailability -Name "testSupportTicketName" -Type  
"Microsoft.Support/supportTickets"
```

----- EXAMPLE 2 -----

```
PS C:\>Test-AzSupportTicketsNoSubscriptionNameAvailability -Name "testFileWorkspaceName" -Type  
"Microsoft.Support/fileWorkspaces"
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.support/test-azsupportticketsnosubscriptionnameavailability>