



Windows PowerShell Get-Help on Cmdlet 'Undo-AzKeyVaultCertificateRemoval'

PS:\>Get-HELP Undo-AzKeyVaultCertificateRemoval -Full

NAME

Undo-AzKeyVaultCertificateRemoval

SYNOPSIS

Recovers a deleted certificate in a key vault into an active state.

SYNTAX

Undo-AzKeyVaultCertificateRemoval [-InputObject]

<Microsoft.Azure.Commands.KeyVault.Models.PSDeletedKeyVaultCertificateIdentityItem> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]

[<CommonParameters>]

Undo-AzKeyVaultCertificateRemoval [-VaultName] <System.String> [-Name] <System.String> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]

[<CommonParameters>]

DESCRIPTION

The Undo-AzKeyVaultCertificateRemoval cmdlet will recover a previously deleted certificate. The recovered certificate will

be active and can be used for all

operations. Caller needs to have 'recover' permission in order to perform this operation.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.KeyVault.Models.PSDeletedKeyVaultCertificateIdentityItem>

Deleted Certificate object

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <System.String>

Certificate name. Cmdlet constructs the FQDN of a certificate from vault name, currently selected environment and certificate name.

Required? true

Position? 1

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-VaultName <System.String>

Vault name. Cmdlet constructs the FQDN of a vault based on the name and currently selected environment.

Required? true

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

Microsoft.Azure.Commands.KeyVault.Models.PSDeletedKeyVaultCertificateIdentityItem

OUTPUTS

Microsoft.Azure.Commands.KeyVault.Models.PSKeyVaultCertificate

NOTES

----- Example 1 -----

Undo-AzKeyVaultCertificateRemoval -VaultName 'MyKeyVault' -Name 'MyCertificate'

Certificate : [Subject]

CN=contoso.com

[Issuer]

CN=contoso.com

[Serial Number]

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

[Not Before]

5/24/2018 10:58:13 AM

[Not After]

11/24/2018 10:08:13 AM

[Thumbprint]

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

KeyId : https://mykeyvault.vault.azure.net:443/keys/mycertificate/7fe415d5518240c1a6fce89986b8d334

SecretId : https://mykeyvault.vault.azure.net:443/secrets/mycertificate/7fe415d5518240c1a6fce89986b8d334

Thumbprint : XX

RecoveryLevel : Recoverable+Purgeable

Enabled : True

Expires : 11/24/2018 6:08:13 PM

NotBefore : 5/24/2018 5:58:13 PM

Created : 5/24/2018 6:08:13 PM

Updated : 5/24/2018 6:08:13 PM

Tags :

VaultName : MyKeyVault

Name : MyCertificate

Version : 7fe415d5518240c1a6fce89986b8d334

Id : https://mykeyvault.vault.azure.net:443/certificates/mycertificate/7fe415d5518240c1a6fce89986b8d334

This command will recover the certificate 'MyCertificate' that was previously deleted, into an active and usable state.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.keyvault/undo-azkeyvaultcertificateremoval>

Remove-AzKeyVaultCertificate

Get-AzKeyVaultCertificate