



Windows PowerShell Get-Help on Cmdlet 'Undo-AzKeyVaultSecretRemoval'

PS:\>Get-HELP Undo-AzKeyVaultSecretRemoval -Full

NAME

Undo-AzKeyVaultSecretRemoval

SYNOPSIS

Recovers a deleted secret in a key vault into an active state.

SYNTAX

```
Undo-AzKeyVaultSecretRemoval [-VaultName] <System.String> [-Name] <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.KeyVault.Models.PSDeletedKeyVaultSecretIdentityItem> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]
[<CommonParameters>]

Undo-AzKeyVaultSecretRemoval [-VaultName] <System.String> [-Name] <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]
[<CommonParameters>]
```

DESCRIPTION

The Undo-AzKeyVaultSecretRemoval cmdlet will recover a previously deleted secret. The recovered secret will be active.

and can be used for all normal secret

operations. Caller needs to have 'recover' permission in order to perform this operation.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.KeyVault.Models.PSDeletedKeyVaultSecretIdentityItem>

Deleted secret object

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <System.String>

Secret name. Cmdlet constructs the FQDN of a secret from vault name, currently selected environment and secret name.

Required? true

Position? 1

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-VaultName <System.String>

Vault name. Cmdlet constructs the FQDN of a vault based on the name and currently selected environment.

Required? true

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.KeyVault.Models.PSDeletedKeyVaultSecretIdentityItem

OUTPUTS

Microsoft.Azure.Commands.KeyVault.Models.PSKeyVaultSecret

NOTES

----- Example 1 -----

Undo-AzKeyVaultSecretRemoval -VaultName 'MyKeyVault' -Name 'MySecret'

Vault Name : MyKeyVault

Name : MySecret

Version : f622abc7b1394092812f1eb0f85dc91c

Id : https://mykeyvault.vault.azure.net:443/secrets/mysecret/f622abc7b1394092812f1eb0f85dc91c

Enabled : True

Expires :

Not Before :

Created : 4/19/2018 5:56:02 PM

Updated : 4/26/2018 7:48:40 PM

Content Type :

Tags :

This command will recover the secret 'MySecret' that was previously deleted, into an active and usable state.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.keyvault/undo-azkeyvaultsecretremoval>

[Remove-AzKeyVaultSecret](#)

[Set-AzKeyVaultSecret](#)

[Get-AzKeyVaultSecret](#)