



Windows PowerShell Get-Help on Cmdlet 'Unregister-ScheduledTask'

PS:\>Get-HELP Unregister-ScheduledTask -Full

NAME

Unregister-ScheduledTask

SYNOPSIS

Unregisters a scheduled task.

SYNTAX

```
Unregister-ScheduledTask [-AsJob] [-CimSession <CimSession[]>] [-Confirm] -InputObject <CimInstance[]> [-PassThru]
[-ThrottleLimit <Int32>] [-WhatIf]
[<CommonParameters>]
```

```
Unregister-ScheduledTask [[-TaskName] <String[]>] [[-TaskPath] <String[]>] [-AsJob] [-CimSession <CimSession[]>]
[-Confirm] [-PassThru] [-ThrottleLimit <Int32>]
[-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Unregister-ScheduledTask cmdlet unregisters a scheduled task from the Windows Task Scheduler service on a local computer.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession

(<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

[Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet. The default is the current session on the local computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value True

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-TaskName <String[]>

Specifies an array of one or more names for a scheduled task.

Required? false

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-TaskPath <String[]>

Specifies an array of one or more paths for scheduled tasks in Task Scheduler namespace. You can use "*" for a wildcard character query. You can use \ for the

root folder. To specify a full TaskPath you need to include the leading and trailing \ *. If you do not specify a path, the

cmdlet uses the root folder.

Required?	false
Position?	1
Default value	None
Accept pipeline input?	True (ByPropertyName)
Accept wildcard characters?	false

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

NOTES

----- Example 1: Unregister a task in the root folder -----

```
PS C:\> Unregister-ScheduledTask -TaskName "HardwareInventory"
```

This command unregisters a task named HardwareInventory in the root folder. You must confirm the action before the command performs it.

---- Example 2: Unregister a task in the Event Viewer Tasks ----

```
PS C:\> Unregister-ScheduledTask -TaskPath '\Event Viewer Tasks\' -TaskName 'ForwardedEvents' -Confirm:$false
```

This command unregisters a task named ForwardedEvents in the Event Viewer Tasks folder. You won't have to confirm on this action.

RELATED LINKS

Online

Version:

https://learn.microsoft.com/powershell/module/scheduledtasks/unregister-scheduledtask?view=windowsserver2022-ps&wt.mc_id=ps-gethelp

Disable-ScheduledTask

Enable-ScheduledTask

Export-ScheduledTask

Get-ScheduledTask

New-ScheduledTask

Register-ScheduledTask

Set-ScheduledTask

Start-ScheduledTask

Stop-ScheduledTask