

Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Unregister-WindowsDeveloperLicense'

PS:\>Get-HELP Unregister-WindowsDeveloperLicense -Full

NAME

Unregister-WindowsDeveloperLicense

SYNOPSIS

Disables Developer Mode on the current computer.

SYNTAX

Unregister-WindowsDeveloperLicense [-Confirm] [-Force] [-Whatlf] [<CommonParameters>]

DESCRIPTION

The Unregister-WindowsDeveloperLicense cmdlet disables Developer Mode on the current computer. If a developer license exists on the current computer, this cmdlet also

removes it. If you disable Developer Mode, you can no longer install and test your apps by using Microsoft Visual Studio.

Any app that you deployed from Visual Studio

no longer runs on the current computer.

You must have administrative credentials to disable Developer Mode. For more information, see Enable your device for development

Page 1/4

(https://msdn.microsoft.com/en-us/library/windows/apps/xaml/dn706236.aspx)in the Microsoft

Developer Network library. If you have not enabled Developer Mode for the current computer, this cmdlet returns an error.

PARAMETERS

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-Force [<SwitchParameter>]

Disables Developer Mode without prompting you for confirmation. By default, the cmdlet prompts you for confirmation before it proceeds.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

	This cmdlet supports the common parameters: Verbose, Debug,
	ErrorAction, ErrorVariable, WarningAction, WarningVariable,
	OutBuffer, PipelineVariable, and OutVariable. For more information, see
	about_CommonParameters (https:/go.microsoft.com/fwlink/?LinkID=113216).
INF	PUTS
OL	ITPUTS
NC)TES
-	Example 1: Disable Developer Mode
I	PS C:\> Unregister-WindowsDeveloperLicense
	This command disables Developer Mode for the current computer. The cmdlet prompts you for confirmation before it
dis	ables Developer Mode. To skip this prompt, specify
t	he Force parameter.
RE	LATED LINKS
	Online Version
http	os://learn.microsoft.com/powershell/module/windowsdeveloperlicense/unregister-windowsdeveloperlicense?view=window
sse	erver2022-ps&wt.mc_id=ps-gethelp
ı	Enable your device for development https://msdn.microsoft.com/en-us/library/windows/apps/xaml/dn706236.aspx

<CommonParameters>

Get-WindowsDeveloperLicense

Show-Windows Developer License Registration