



Windows PowerShell Get-Help on Cmdlet 'Update-AzAppConfigurationStore'

PS:\>Get-HELP Update-AzAppConfigurationStore -Full

NAME

Update-AzAppConfigurationStore

SYNOPSIS

Updates a configuration store with the specified parameters.

SYNTAX

```
Update-AzAppConfigurationStore -Name <String> -ResourceGroupName <String> [-SubscriptionId <String>]
[-DisableLocalAuth] [-EnablePurgeProtection]
[-EncryptionKeyIdentifier <String>] [-IdentityType <IdentityType>] [-KeyVaultIdentityClientId <String>]
[-PublicNetworkAccess <PublicNetworkAccess>] [-Sku <String>]
[-Tag <Hashtable>] [-UserAssignedIdentity <String[]>] [-DefaultProfile <PSObject>] [-AsJob] [-Break]
[-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend
<SendAsyncStep[]>] [-NoWait] [-Proxy <Uri>] [-ProxyCredential <PSCredential>] [-ProxyUseDefaultCredentials] [-WhatIf]
[-Confirm] [<CommonParameters>]
```

```
Update-AzAppConfigurationStore -InputObject <IAppConfigurationIdentity> [-DisableLocalAuth] [-EnablePurgeProtection]
[-EncryptionKeyIdentifier <String>]
[-IdentityType <IdentityType>] [-KeyVaultIdentityClientId <String>] [-PublicNetworkAccess <PublicNetworkAccess>] [-Sku
```

<String>] [-Tag <Hashtable>]

[-UserAssignedIdentity <String[]>] [-DefaultProfile <PSObject>] [-AsJob] [-Break] [-HttpPipelineAppend
<SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>]
[-NoWait] [-Proxy <Uri>] [-ProxyCredential <PSCredential>] [-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm]
[<CommonParameters>]

DESCRIPTION

Updates a configuration store with the specified parameters.

PARAMETERS

-Name <String>

The name of the configuration store.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ResourceGroupName <String>

The name of the resource group to which the container registry belongs.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SubscriptionId <String>

The Microsoft Azure subscription ID.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-InputObject <IAppConfigurationIdentity>

Identity Parameter

To construct, see NOTES section for INPUTOBJECT properties and create a hash table.

Required? true
Position? named
Default value
Accept pipeline input? true (ByValue)
Accept wildcard characters? false

-DisableLocalAuth [<SwitchParameter>]

Disables all authentication methods other than AAD authentication.

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-EnablePurgeProtection [<SwitchParameter>]

Property specifying whether protection against purge is enabled for this configuration store.

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-EncryptionKeyIdentifier <String>

The URI of the key vault key used to encrypt data.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-IdentityType <IdentityType>

The type of managed identity used.

The type 'SystemAssigned, UserAssigned' includes both an implicitly created identity and a set of user-assigned identities.

The type 'None' will remove any identities.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-KeyVaultIdentityClientId <String>

The client id of the identity which will be used to access key vault.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-PublicNetworkAccess <PublicNetworkAccess>

Control permission for data plane traffic coming from public networks while private endpoint is enabled.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Sku <String>

The SKU name of the configuration store.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Tag <Hashtable>

The ARM resource tags.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-UserAssignedIdentity <String[]>

The list of user-assigned identities associated with the resource.

The user-assigned identity dictionary keys will be ARM resource ids in the form:

'/subscriptions/{subscriptionId}/resourceGroups/{resourceGroupName}/providers/Microsoft.ManagedIdentity/userAssignedIdentities/{identityName}'.

Required? false

Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-DefaultProfile <PSObject>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-AsJob [<SwitchParameter>]

Run the command as a job

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-NoWait [<SwitchParameter>]

Run the command asynchronously

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters](https://go.microsoft.com/fwlink/?LinkID=113216) (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.PowerShell.Cmdlets.AppConfiguration.Models.IAppConfigurationIdentity

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.AppConfiguration.Models.Api20220501.IConfigurationStore

NOTES

COMPLEX PARAMETER PROPERTIES

To create the parameters described below, construct a hash table containing the appropriate properties. For information on hash tables, run Get-Help

[about_Hash_Tables](#).

INPUTOBJECT <IAppConfigurationIdentity>: Identity Parameter

[ConfigStoreName <String>]: The name of the configuration store.

[GroupName <String>]: The name of the private link resource group.

[Id <String>]: Resource identity path

[KeyValueName <String>]: Identifier of key and label combination. Key and label are joined by \$ character. Label is optional.

[Location <String>]: The location in which uniqueness will be verified.

[PrivateEndpointConnectionName <String>]: Private endpoint connection name

[ResourceGroupName <String>]: The name of the resource group to which the container registry belongs.

[SubscriptionId <String>]: The Microsoft Azure subscription ID.

----- EXAMPLE 1 -----

```
PS C:\>Update-AzAppConfigurationStore -Name azptest-appstore -ResourceGroupName azptest_gp  
-DisableLocalAuth -EnablePurgeProtection -PublicNetworkAccess 'Enabled'
```

----- EXAMPLE 2 -----

```
PS C:\>Get-AzAppConfigurationStore -Name azptest-appstore -ResourceGroupName azptest_gp |  
Update-AzAppConfigurationStore -DisableLocalAuth -EnablePurgeProtection  
-PublicNetworkAccess 'Enabled'
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.appconfiguration/update-azappconfigurationstore>