



**Full credit is given to all the above companies including the Operating System that this PDF file was generated!**

## ***Windows PowerShell Get-Help on Cmdlet 'Update-AzApplicationInsightsMyWorkbook'***

**PS:\>Get-HELP Update-AzApplicationInsightsMyWorkbook -Full**

### **NAME**

Update-AzApplicationInsightsMyWorkbook

### **SYNOPSIS**

Updates a private workbook that has already been added.

### **SYNTAX**

```
Update-AzApplicationInsightsMyWorkbook -Name <String> -ResourceGroupName <String> [-SubscriptionId <String>]
[-LinkedSourceId <String>] -WorkbookProperty
<IMyWorkbook> [-DefaultProfile <PSObject>] [-Break] [-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend
<SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential
<PSCredential>] [-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm] [<CommonParameters>]
```

### **DESCRIPTION**

Updates a private workbook that has already been added.

### **PARAMETERS**

**-Name <String>**

The name of the Application Insights component resource.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

**-ResourceGroupName <String>**

The name of the resource group.

The name is case insensitive.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

**-SubscriptionId <String>**

The ID of the target subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

**-LinkedSourceId <String>**

Azure Resource Id that will fetch all linked workbooks.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

#### -WorkbookProperty <IMyWorkbook>

An Application Insights private workbook definition.

To construct, see NOTES section for WORKBOOKPROPERTY properties and create a hash table.

Required? true

Position? named

Default value

Accept pipeline input? true (ByValue)

Accept wildcard characters? false

#### -DefaultProfile <PSObject>

The DefaultProfile parameter is not functional.

Use the SubscriptionId parameter when available if executing the cmdlet against a different subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

#### -Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see

about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

## INPUTS

Microsoft.Azure.PowerShell.Cmdlets.ApplicationInsights.Models.Api20210308.IMyWorkbook

## OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.ApplicationInsights.Models.Api20210308.IMyWorkbook

## NOTES

### COMPLEX PARAMETER PROPERTIES

To create the parameters described below, construct a hash table containing the appropriate properties. For information on hash tables, run Get-Help about\_Hash\_Tables.

**WORKBOOKPROPERTY <IMyWorkbook>:** An Application Insights private workbook definition.

[**Etag <IMyWorkbookResourceEtag>**]: Resource etag

[**(Any) <String>**]: This indicates any property can be added to this object.

[**Id <String>**]: Azure resource Id

[**IdentityType <String>**]: The identity type.

[**Location <String>**]: Resource location

[**Name <String>**]: Azure resource name

[**Tag <IMyWorkbookResourceTags>**]: Resource tags

[**(Any) <String>**]: This indicates any property can be added to this object.

[**Type <String>**]: Azure resource type

[**Category <String>**]: Workbook category, as defined by the user at creation time.

[**DisplayName <String>**]: The user-defined name of the private workbook.

[**Kind <Kind?>**]: The kind of workbook. Choices are user and shared.

[**PropertiesTag <String[]>**]: A list of 0 or more tags that are associated with this private workbook definition

[**SerializedData <String>**]: Configuration of this particular private workbook. Configuration data is a string containing

## valid JSON

[SourceId <String>]: Optional resourceId for a source resource.

[StorageUri <String>]: BYOS Storage Account URI

[SystemDataCreatedAt <DateTime?>]: The timestamp of resource creation (UTC).

[SystemDataCreatedBy <String>]: The identity that created the resource.

[SystemDataCreatedByType <CreatedByType?>]: The type of identity that created the resource.

[SystemDataLastModifiedAt <DateTime?>]: The timestamp of resource last modification (UTC)

[SystemDataLastModifiedBy <String>]: The identity that last modified the resource.

[SystemDataLastModifiedByType <CreatedByType?>]: The type of identity that last modified the resource.

[Version <String>]: This instance's version of the data model. This can change as new features are added that can be marked private workbook.

### ----- EXAMPLE 1 -----

```
PS C:\>$myWorkbook = Get-AzApplicationInsightsMyWorkbook -ResourceGroupName "appinsights-hkrs2v-test" -Name "2e47417f-c136-44c0-b78f-7a4ca35fd9d1"
```

```
$myWorkbook.DisplayName = "pwsh01"  
Update-AzApplicationInsightsMyWorkbook -ResourceGroupName "appinsights-hkrs2v-test" -Name "2e47417f-c136-44c0-b78f-7a4ca35fd9d1" -WorkbookProperty $myWorkbook
```

## RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.applicationinsights/update-azapplicationinsightsmyworkbook>