



Windows PowerShell Get-Help on Cmdlet 'Update-AzContainerRegistryManifest'

PS:\>Get-HELP Update-AzContainerRegistryManifest -Full

NAME

Update-AzContainerRegistryManifest

SYNOPSIS

Update ACR manifest.

SYNTAX

```

Update-AzContainerRegistryManifest [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-DeleteEnabled
<System.Nullable`1[System.Boolean]>] [-ListEnabled <System.Nullable`1[System.Boolean]>] -Manifest <System.String>
[-ReadEnabled <System.Nullable`1[System.Boolean]>]
-RegistryName <System.String> -RepositoryName <System.String> [-WriteEnabled
<System.Nullable`1[System.Boolean]>] [-Confirm] [-WhatIf] [<CommonParameters>]

```

```

Update-AzContainerRegistryManifest [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-DeleteEnabled
<System.Nullable`1[System.Boolean]>] [-ListEnabled <System.Nullable`1[System.Boolean]>] [-ReadEnabled
<System.Nullable`1[System.Boolean]>] -RegistryName
<System.String> -RepositoryName <System.String> -Tag <System.String> [-WriteEnabled

```

<System.Nullable`1[System.Boolean]>] [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

Update ACR manifest. To use this cmdlet please run `Update-AzContainerRegistryRepository -RegistryName XXX -Repository XXX -WriteEnable \$true` first.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DeleteEnabled <System.Nullable`1[System.Boolean]>

Delete enable.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ListEnabled <System.Nullable`1[System.Boolean]>

List enable.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Manifest <System.String>

Manifest reference.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ReadEnabled <System.Nullable`1[System.Boolean]>

Read enable.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-RegistryName <System.String>

Azure Container Registry Name.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-RepositoryName <System.String>

Repository Name.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Tag <System.String>

Tag.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-WriteEnabled <System.Nullable`1[System.Boolean]>

Write enable.

Required? false
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

Microsoft.Azure.Commands.ContainerRegistry.Models.PSManifestAttribute

NOTES

----- Example 1 -----

sha256:185518070891758909c9f839cf4ca393ee977ac378609f700f60a771a2dfe321

-DeleteEnabled \$false -WriteEnabled \$true -ListEnabled \$true -ReadEnabled \$true

Registry	ImageName	Attributes
----------	-----------	------------

-----	-----	-----
-------	-------	-------

registry.azurecr.io	alpine	Microsoft.Azure.Commands.ContainerRegistry.Models.PSManifestAttributeBase
---------------------	--------	---

Update attributes for manifest sha256:185518070891758909c9f839cf4ca393ee977ac378609f700f60a771a2dfe321 under registry.

----- Example 2 -----

Update-AzContainerRegistryManifest -RegistryName registry -RepositoryName alpine -Tag latest -DeleteEnabled \$false
-WriteEnabled \$true -ListEnabled \$true -ReadEnabled
\$true

Registry	ImageName	Attributes
----------	-----------	------------

-----	-----	-----
-------	-------	-------

registry.azurecr.io	alpine	Microsoft.Azure.Commands.ContainerRegistry.Models.PSManifestAttributeBase
---------------------	--------	---

Update attributes for manifest with tag latest under registry.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.containerregistry/update-azcontainerregistrymanifest>