



Windows PowerShell Get-Help on Cmdlet 'Update-AzContainerRegistryRepository'

PS:\>Get-HELP Update-AzContainerRegistryRepository -Full

NAME

Update-AzContainerRegistryRepository

SYNOPSIS

Update ACR repository.

SYNTAX

```
Update-AzContainerRegistryRepository [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-DeleteEnabled  
<System.Nullable`1[System.Boolean]>] [-ListEnabled <System.Nullable`1[System.Boolean]>] -Name <System.String>  
[-ReadEnabled <System.Nullable`1[System.Boolean]>]  
-RegistryName <System.String> [-WriteEnabled <System.Nullable`1[System.Boolean]>] [-Confirm] [-WhatIf]  
[<CommonParameters>]
```

DESCRIPTION

Update ACR repository.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DeleteEnabled <System.Nullable`1[System.Boolean]>

Delete enable.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ListEnabled <System.Nullable`1[System.Boolean]>

List enable.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

Repository Name.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ReadEnabled <System.Nullable`1[System.Boolean]>

Read enable.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-RegistryName <System.String>

Azure Container Registry Name.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-WriteEnabled <System.Nullable`1[System.Boolean]>

Write enable.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

Microsoft.Azure.Commands.ContainerRegistry.Models.PSRepositoryAttribute

----- Example 1 -----

```
Update-AzContainerRegistryRepository -RegistryName registry -Name test/busybox8 -DeleteEnabled $false  
-WriteEnabled $true -ListEnabled $true -ReadEnabled $true
```

Registry : registry.azurecr.io

ImageName : test/busybox8

CreatedTime : 2020-12-11T08:57:56.2070002Z

LastUpdateTime : 2020-12-11T08:57:56.5188237Z

ManifestCount : 1

TagCount : 1

ChangeableAttributes : Microsoft.Azure.Commands.ContainerRegistry.Models.PSChangeableAttribute

Update attributes for repository alpine under registry.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.containerregistry/update-azcontainerregistryrepository>