



Windows PowerShell Get-Help on Cmdlet 'Update-AzDataProtectionBackupInstance'

PS:\>Get-HELP Update-AzDataProtectionBackupInstance -Full

NAME

Update-AzDataProtectionBackupInstance

SYNOPSIS

Updates a given backup instance

SYNTAX

```
Update-AzDataProtectionBackupInstance -ResourceGroupName <String> -VaultName <String> -BackupInstanceName  
<String> [-SubscriptionId <String>] [-PolicyId <String>]  
[-VaultedBackupContainer <String[]>] [-DefaultProfile <PSObject>] [-Break] [-HttpPipelineAppend <SendAsyncStep[]>]  
[-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy  
    <Uri>] [-AsJob] [-NoWait] [-ProxyCredential <PSCredential>] [-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm]  
[<CommonParameters>]
```

DESCRIPTION

Updates a given backup instance

PARAMETERS

-ResourceGroupName <String>

Resource Group of the backup vault

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-VaultName <String>

Name of the backup vault

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-BackupInstanceName <String>

Unique Name of protected backup instance

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SubscriptionId <String>

Subscription Id of the vault

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-PolicyId <String>

Id of the Policy to be associated with the backup instance

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-VaultedBackupContainer <String[]>

List of containers to be backed up inside the VaultStore.

Use this parameter for DatasourceType AzureBlob.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DefaultProfile <PSObject>

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Break [<SwitchParameter>]

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Proxy <Uri>

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-AsJob [<SwitchParameter>]

Required? false

Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-NoWait [<SwitchParameter>]

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-ProxyCredential <PSCredential>

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Required? false
Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.DataProtection.Models.Api20240401.IBackupInstanceResource

----- EXAMPLE 1 -----

```
PS C:\>$instance = Search-AzDataProtectionBackupInstanceInAzGraph -Subscription $subscriptionId -ResourceGroup $resourceGroupName -Vault $vaultName -DatasourceType AzureBlob
```

```
$updatePolicy = Get-AzDataProtectionBackupPolicy -SubscriptionId $subscriptionId -VaultName $vaultName -ResourceGroupName $resourceGroupName | Where-Object { $_.name -eq "vaulted-policy" }
```

\$backedUpContainers =

\$instance.Property.PolicyInfo.PolicyParameter.BackupDatasourceParametersList[0].ContainersList

\$updateBI = Update-AzDataProtectionBackupInstance -ResourceGroupName \$resourceGroupName -VaultName \$vaultName -BackupInstanceName \$instance.Name -SubscriptionId

\$subscriptionId -PolicyId \$updatePolicy.Id -VaultedBackupContainer \$backedUpContainers[0,2,4]

\$updateBI.Property.PolicyInfo.PolicyId

\$updateBI.Property.PolicyInfo.PolicyParameter.BackupDatasourceParametersList[0].ContainersList

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.dataprotection/update-azdataprotectionbackupinstance>