



Windows PowerShell Get-Help on Cmdlet 'Update-AzOperationalInsightsDataExport'

PS:\>Get-HELP Update-AzOperationalInsightsDataExport -Full

NAME

Update-AzOperationalInsightsDataExport

SYNOPSIS

Update data export.

SYNTAX

```
Update-AzOperationalInsightsDataExport [-DataExportName <System.String>] [-DefaultProfile
                                     <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-DestinationResourceId <System.String>] [-Enable
                                     <System.Nullable`1[System.Boolean]>] [-EventHubName <System.String>] -ResourceGroupName <System.String>
[-TableName <System.String[]>] -WorkspaceName <System.String>
[-Confirm] [-WhatIf] [<CommonParameters>]
```

Update-AzOperationalInsightsDataExport [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputDataExport
<Microsoft.Azure.Commands.OperationalInsights.Models.PSDataExport> [-Confirm] [-WhatIf] [<CommonParameters>]

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -ResourceId

<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

Updates a data export.

PARAMETERS

-DataExportName <System.String>

The data export name.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DestinationResourceId <System.String>

The destination resource ID. This can be copied from the Properties entry of the destination resource in Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Enable <System.Nullable`1[System.Boolean]>

Active when enabled.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-EventHubName <System.String>

Optional. Allows to define an Event Hub name. Not applicable when destination is Storage Account.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputDataExport <Microsoft.Azure.Commands.Operationallnsights.Models.PSDataExport>

Specifies the DataExport to be updated.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ResourceId <System.String>

The destination resource ID. This can be copied from the Properties entry of the destination resource in Azure.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-TableName <System.String[]>

An array of tables to export, for example: ["Heartbeat, SecurityEvent"].

Required? false
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-WorkspaceName <System.String>

The name of the workspace that will contain the storage insight.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.OperationalInsights.Models.PSDataExport

OUTPUTS

NOTES

----- Example 1 -----

```
Update-AzOperationalInsightsDataExport -ResourceGroupName "rg-name" -WorkspaceName "workspace-name"
-DataExportName "dataExportName" -TableName "table_name" -Enable
$true
```

Name : {dataExportName}

Id :

/subscriptions/{subscription}/resourcegroups/{rg-name}/providers/microsoft.operationalinsights/workspaces/{workspace-name}/dataexports/{dataExportName}

Type : Microsoft.OperationalInsights/workspaces/export

DataExportId : {GUID}

TableNames : {table_name}

ResourceId :

/subscriptions/{resource_subscription}/resourceGroups/{resource_rg}/providers/Microsoft.Storage/storageAccounts/{storage_name}

DataExportType : StorageAccount

EventHubName :

Enable : true

CreatedDate :

LastModifiedDate :

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.operationalinsights/update-azoperationalinsightsdataexport>